

Chemspec Chemicals Private Limited

(Formerly known as Chemspec Chemicals Limited)

(A Govt. Recognised Star Export House)

(An ISO 9001: 2015, 14001: 2015 & ISO 45001: 2018 Certified Company)


CIN: U24114MH1975PTC018665

Regd. Office & Factory: Plot No. 3-C, 3-B1, MIDC Talaja, Tal. Panvel, Dist. Raigad,

Navi Mumbai- 410208, Maharashtra

Tel.: 0091-22-2740 1932, 2740 1935, 2741 0570 | Fax: 0091-22-2741 0578 |

Email: ccpl@chemspec.co.in | Website: www.chemspec.co.in



09th July 2025

Sub Regional Officer-Taloja,
Maharashtra Pollution Control Board
Raigad Bhavan, 7th floor, Sector - 11,
C.B.D Belapur, Navi Mumbai

Subject: Expansion of the synthetic organics industrial project at Plot No. 3-C, Talaja MIDC, Dist. Raigad – Submission of six-monthly EC compliance for Oct-2024 to Mar-25 –Reg.

Ref: EC letter no. SEIAA EC 0000000188 dated 12-Mar-18 issued by SEIAA, Maharashtra.

Dear Sir,

We received the EC for our project from the State Environment Impact Assessment Authority (SEIAA), Maharashtra, on 12-Mar-18.

As reported in our previous consolidated EC Compliance, a major fire incident occurred at our factory on 28-Dec-23, causing extensive damage to the entire facility. Following the incident, we received directives from the Maharashtra Pollution Control Board (MPCB), stating that project operations start after approval from the MPCB and the Directorate of Industrial Safety and Health (DISH).

In compliance with these directives, the incident report was submitted to DISH on 29-Dec-23, and to MPCB on 1-Jan-24.

We would like to inform you that the project reconstruction is completed. After multiple trials, plant came in operation after formal communicated to DISH and MPCB vide letter dt 19-Jun-24.

We are hereby submitting the six-monthly EC Compliance Report for the period Oct-24 to Mar-25.

With reference to the above, please find enclosed the following documents for your kind consideration.

1. Point-by-point compliance with EC condition issued by SEIAA, GOM, with necessary Annexures.
2. Copy of the Consent to Operate.
3. Copy of the Environmental Clearance Letter.

We hope you will find same in line with your requirements.

Thanking You,

For Chemspec Chemicals Pvt. Ltd.,

Authorized Signatory



Chemspec Chemicals Private Limited

(Formerly known as Chemspec Chemicals Limited)

(A Govt. Recognised Star Export House)

(An ISO 9001: 2015, 14001: 2015 & ISO 45001: 2018 Certified Company)


CIN: U24114MH1975PTC018665

Regd. Office & Factory: Plot No. 3-C, 3-B1, MIDC Taloja, Tal. Panvel, Dist. Raigad,

Navi Mumbai- 410208, Maharashtra

Tel.: 0091-22-2740 1932, 2740 1935, 2741 0570 | Fax: 0091-22-2741 0578 |

Email: ccpl@chemspec.co.in | Website: www.chemspec.co.in



09th July 2025

Deputy Director General of Forests (Central),
West Central Zone, Regional Office,
New Secretariat Building,
Opposite VCA Ground, Civil Lines,
Nagpur- 440001

Subject: Expansion of the synthetic organics industrial project at Plot No. 3-C, Taloja MIDC, Dist. Raigad
– Submission of six-monthly EC compliance for Oct-2024 to Mar-25 –Reg.

Ref: EC letter no. SEIAA EC 0000000188 dated 12-Mar-18 issued by SEIAA, Maharashtra.

Dear Sir,

We received the EC for our project from the State Environment Impact Assessment Authority (SEIAA), Maharashtra, on 12-Mar-18.

As reported in our previous consolidated EC Compliance, a major fire incident occurred at our factory on 28-Dec-23, causing extensive damage to the entire facility. Following the incident, we received directives from the Maharashtra Pollution Control Board (MPCB), stating that project operations start after approval from the MPCB and the Directorate of Industrial Safety and Health (DISH).

In compliance with these directives, the incident report was submitted to DISH on 29-Dec-23, and to MPCB on 1-Jan-24.

We would like to inform you that the project reconstruction is completed. After multiple trials, plant came in operation after formal communicated to DISH and MPCB vide letter dt 19-Jun-24.

We are hereby submitting the six-monthly EC Compliance Report for the period Oct-24 to Mar-25.

With reference to the above, please find enclosed the following documents for your kind consideration.

1. Point-by-point compliance with EC condition issued by SEIAA, GOM, with necessary Annexures.
2. Copy of the Consent to Operate.
3. Copy of the Environmental Clearance Letter.

We hope you will find same in line with your requirements.

Thanking You,

For Chemspec Chemicals Pvt. Ltd.,

Authorized Signatory



Chemspec Chemicals Private Limited

(Formerly known as Chemspec Chemicals Limited)

(A Govt. Recognised Star Export House)


(An ISO 9001: 2015, 14001: 2015 & ISO 45001: 2018 Certified Company)

CIN: U24114MH1975PTC018665

Regd. Office & Factory: Plot No. 3-C, 3-B1, MIDC Taloja, Tal. Panvel, Dist. Raigad,
Navi Mumbai- 410208, Maharashtra

Tel.: 0091-22-2740 1932, 2740 1935, 2741 0570 | Fax: 0091-22-2741 0578 |

Email: ccpl@chemspec.co.in | Website: www.chemspec.co.in



09th July 2025

Regional Officer-Taloja,
Maharashtra Pollution Control Board
Raigad Bhavan, 7th floor, Sector - 11,
C.B.D Belapur, Navi Mumbai

Subject: Expansion of the synthetic organics industrial project at Plot No. 3-C, Taloja MIDC, Dist. Raigad – Submission of six-monthly EC compliance for Oct-2024 to Mar-25 –Reg.

Ref: EC letter no. SEIAA EC 0000000188 dated 12-Mar-18 issued by SEIAA, Maharashtra.

Dear Sir,

We received the EC for our project from the State Environment Impact Assessment Authority (SEIAA), Maharashtra, on 12-Mar-18.

As reported in our previous consolidated EC Compliance, a major fire incident occurred at our factory on 28-Dec-23, causing extensive damage to the entire facility. Following the incident, we received directives from the Maharashtra Pollution Control Board (MPCB), stating that project operations start after approval from the MPCB and the Directorate of Industrial Safety and Health (DISH).

In compliance with these directives, the incident report was submitted to DISH on 29-Dec-23, and to MPCB on 1-Jan-24.

We would like to inform you that the project reconstruction is completed. After multiple trials, plant came in operation after formal communicated to DISH and MPCB vide letter dt 19-Jun-24.

We are hereby submitting the six-monthly EC Compliance Report for the period Oct-24 to Mar-25.

With reference to the above, please find enclosed the following documents for your kind consideration.


1. Point-by-point compliance with EC condition issued by SEIAA, GOM, with necessary Annexures.
2. Copy of the Consent to Operate.
3. Copy of the Environmental Clearance Letter.

We hope you will find same in line with your requirements.

Thanking You,

For Chemspec Chemicals Pvt. Ltd.,

Authorized Signatory



Chemspec Chemicals Private Limited

(Formerly known as Chemspec Chemicals Limited)

(A Govt. Recognised Star Export House)

(An ISO 9001: 2015, 14001: 2015 & ISO 45001: 2018 Certified Company)


CIN: U24114MH1975PTC018665

Regd. Office & Factory: Plot No. 3-C, 3-B1, MIDC Taloja, Tal. Panvel, Dist. Raigad,

Navi Mumbai- 410208, Maharashtra

Tel.: 0091-22-2740 1932, 2740 1935, 2741 0570 | Fax: 0091-22-2741 0578 |

Email: ccpl@chemspec.co.in | Website: www.chemspec.co.in



09th July 2025

REGIONAL DIRECTORATE, CPCB

Survey No. 110, Dhankude Multi-Purpose Hall,

Baner Road, Baner,

Pune - 411045

Subject: Expansion of the synthetic organics industrial project at Plot No. 3-C, Taloja MIDC, Dist. Raigad – Submission of six-monthly EC compliance for Oct-2024 to Mar-25 –Reg.

Ref: EC letter no. SEIAA EC 0000000188 dated 12-Mar-18 issued by SEIAA, Maharashtra.

Dear Sir,

We received the EC for our project from the State Environment Impact Assessment Authority (SEIAA), Maharashtra, on 12-Mar-18.

As reported in our previous consolidated EC Compliance, a major fire incident occurred at our factory on 28-Dec-23, causing extensive damage to the entire facility. Following the incident, we received directives from the Maharashtra Pollution Control Board (MPCB), stating that project operations start after approval from the MPCB and the Directorate of Industrial Safety and Health (DISH).

In compliance with these directives, the incident report was submitted to DISH on 29-Dec-23, and to MPCB on 1-Jan-24.

We would like to inform you that the project reconstruction is completed. After multiple trials, plant came in operation after formal communicated to DISH and MPCB vide letter dt 19-Jun-24.

We are hereby submitting the six-monthly EC Compliance Report for the period Oct-24 to Mar-25.

With reference to the above, please find enclosed the following documents for your kind consideration.

1. Point-by-point compliance with EC condition issued by SEIAA, GOM, with necessary Annexures.
2. Copy of the Consent to Operate.
3. Copy of the Environmental Clearance Letter.

We hope you will find same in line with your requirements.

Thanking You,

For Chemspec Chemicals Pvt. Ltd.,

Authorized Signatory



STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY


No. SIA/MH/IND3/303404/2023
Environment & Climate Change
Department
Room No. 217, 2nd Floor,
Mantralaya, Mumbai- 400032.
Date: 22/11/2023

To,
M/s CHEMSPEC CHEMICALS PRIVATE LIMITED.
at 3C & 3B-1, MIDC, Taloja.
Maharashtra Raigad 410208

Sub: Transfer of Environmental Clearance granted to Purushothom P. Agarwal for Proposed Expansion of Synthetic Organic Industrial project at plot no 3-C, Taloja MIDC, Panvel.

Ref: 1. Your application for transfer of EC- SIA/MH/IND3/303404/2023.
2. EC Letter no. SEIAA-EC-0000000188, Dated 12/03/2018.

1. This has reference to your online application vide proposal No. SIA/MH/IND3/303404/2023. in prescribed Form - 7 and other documents for seeking transfer of Environmental Clearance (EC) of the project mentioned in the subject.
2. EC was granted to Purushothom P. Agarwal for Proposed Expansion of Synthetic Organic Industrial project at plot no 3-C, Taloja MIDC, Panvel Now, you have applied for transfer of EC from Purushothom P. Agarwal to M/s. M/s CHEMSPEC CHEMICALS PRIVATE LIMITED. as you have taken over the project under reference.
3. You have submitted following documents in support of your application for transfer of EC-
 - i. Undertaking by transferee regarding acceptance of the terms and conditions in the EC letter dated 12/03/2018.
 - ii. Copy of authorization duly signed by the project proponent in support of the person making this application on behalf of the User Agency.
4. SEIAA noted the above facts and decided to transfer EC dated 12/03/2018. from Purushothom P. Agarwal to M/s. M/s CHEMSPEC CHEMICALS PRIVATE LIMITED.
5. This letter shall be read with the EC letter Dated 12/03/2018.
6. All the other terms and conditions mentioned in the EC letter dated 12/03/2018 shall remain the same.


Pravin Darade
(Member Secretary, SEIAA)

**Point-wise compliance to the environmental clearance conditions given in the letter no. SEIAA-
EC- 0000000188 dated March 12, 2018.**

Sr.No.	EC Condition	Compliance
Specific Conditions:		
I	PP to provide Zero Liquid Discharge for the proposed additional effluent load of 49 KLD.	<p>A total of 115 KL of treated effluent from the Effluent Treatment Plant (ETP) will be sent to the Common Effluent Treatment Plant (CETP), while 49 KL will be recycled through the Reverse Osmosis (RO) process. The permeate water from the RO system will be utilized in cooling towers as part of the manufacturing process. The reject water from the RO system will be treated in a Multi-Effect Evaporator (MEE), and the concentrated material from the MEE will be fed into an Agitated Thin Film Dryer (ATFD) to generate evaporation residue. The evaporation residue generated from the ATFD will be sent to Maharashtra Waste Management Limited (MWML) for final disposal.</p> <p>However due to unfortunate fire incident that occurred on 28.12.2023 caused by uncontrolled chemical reaction, the unit suffered total damage. The Plant is currently under reconstruction and will resume operations only after obtaining the necessary permissions from the Directorate of Industrial Safety and Health (DISH) and the concerned Maharashtra Pollution Control Board (MPCB) authority.</p> <p>The ETP flow diagram and photographs of the ETP and ZLD facilities are enclosed as Annexure-I</p>
II	PP carried out Life Cycle Analysis and identified the areas of improvement; PP to prepare plan to reduce adverse impact of those activities on the environment	Noted for compliance.
General Conditions:		
I	PP to achieve Zero Liquid Discharge; PP shall ensure that there is no increase in the effluent load to CETP.	Chemspec Chemicals Pvt. Ltd. has provided partial Zero Liquid discharge facility for the treatment of effluent. After reconstruction of Plant we assure that the effluent load will not increase to CETP.
II	8 TPH boiler should have stack height of 38m and flue gases shall be passed through an ESP of 99.9% efficiency before being led into the 68 m stack	Boilers of capacity 8 TPH & 5 TPH is available at site with adequate stack height of 38 m along with wet scrubber and Bag filters.

**1. Six Monthly EC Compliance by Chemspec Chemicals Private Limited, MIDC Taloja
(Period October 2024 to March 2025)**

		After multiple trials, the plant commenced operations following formal communication to DISH and MPCB via letter dated 19th June 2024 copies of the above mentioned communication enclosed as an Annexure-XIII .
III	No additional land shall be used /acquire for any activity of the project without obtaining Prior permission.	No additional land has been used or acquired for any project-related activities without obtaining the necessary permissions from the competent authorities.
IV	PP to take utmost precaution for the health and safety of the people working in the unit as also for protecting the environment.	<p>The following safety and health measures will be undertaken:</p> <p>Proper Personal Protective Equipment (PPEs) are being provided to all employees and workers.</p> <p>Eye wash stations and safety showers are being installed in designated areas.</p> <p>First aid boxes are made available in all departments.</p> <p>An Occupational Health Centre (OHC) is being established on-site.</p> <p>Periodic medical health check-ups will be arranged for all workers and employees.</p> <p>Regular safety training sessions and mock drills are being conducted. The Training record is enclosed as an Annexure-II.</p> <p>An adequate fire-fighting and safety system will be installed to ensure emergency preparedness.</p>
V	Proper Housekeeping programmers shall be implemented.	A well-maintained housekeeping program is being implemented at our project site to ensure a clean and safe workplace.
VI	In the event of the failure of any pollution control system adopted by the unit, the unit shall be immediately put out of operation and shall not be restarted until the desired efficiency has been achieve	In the event of the failure of any pollution control system adopted by the unit, the unit will certainly be immediately put out of operation and will not be restarted until the desired efficiency has been achieved.
VII	A stack of adequate height based on DG set capacity shall be provided for control and dispersion of pollutant from DC set. (If applicable).	A stack height of 5m each has been provided for the 2 x 750 KVA D.G sets.
VIII	A detailed scheme for rainwater harvesting shall be prepared and implemented to recharge ground water.	The rainwater harvesting has been provided at the roof top. The schematic diagram and Photographs of Rain Water Harvesting is enclosed as an Annexure-IV .

**2. Six Monthly EC Compliance by Chemspec Chemicals Private Limited, MIDC Taloja
(Period October 2024 to March 2025)**

IX	Arrangement shall be made that effluent and storm water does not get mixed.	Separate effluent drain and the storm water drain will be provided so that the effluent and the storm water doesn't get mixed. The Photograph of Storm water drains and effluent line is enclosed as an Annexure- V .
X	Periodic monitoring of ground water shall be undertaken and results analyzed to ascertain any change in the quality of water. Results shall be regularly submitted to the Maharashtra Pollution Control Board.	The monitoring of ground water is not applicable as project is located in notified MIDC Area.
XI	Noise level shall be maintained as per standards. For people working in the high noise area, requisite personal protective equipment like earplugs etc. shall be provided.	The noise levels have been monitored at different locations in the plant and noise level is being maintained as per standard. The Noise analysis report are enclosed as an Annexure-III . The suitable PPEs like ear plugs, ear muff etc. are being provided to people working in high noise area.
XII	The overall noise levels in and around the plant are shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures, etc. on all sources of noise generation. The ambient noise levels shall confirm to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989.	The noise levels have been monitored at different locations in the plant and noise level is being maintained as per standard. The Noise analysis report are enclosed as an Annexure-III . The suitable PPEs like ear plugs, ear muff etc. are being provided to people working in high noise area.
XIII	Green belt shall be developed & maintained around the plant periphery. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.	The green belt area covers 1,400 sq.m, which constitutes 9.89% of the total plot area of 14,155.05 sq.m. The green belt will be developed and maintained in accordance with CPCB guidelines, including appropriate selection of plant species, in consultation with the local Divisional Forest Officer (DFO) and the Agriculture Department. Photographs of the green belt are enclosed as Annexure-VI .
XIV	Adequate safety measures shall be provided to limit the risk zone within the plant boundary, in case of an accident. Leak detection devices shall also be installed at strategic places for early detection and warning	Adequate safety measures have been implemented to ensure that the risk zone remains confined within the plant boundary. A leak detection system has been installed at strategic locations for early identification of any potential hazards. A fire hydrant system is in place, and fire extinguishers are readily available and easily accessible in case of emergencies The Photographs of all fire safety equipments along with leak detection system are enclosed as an Annexure-VII .

**3. Six Monthly EC Compliance by Chemspec Chemicals Private Limited, MIDC Taloja
(Period October 2024 to March 2025)**

XV	Occupational health surveillance of the workers shall be done on a regular basis and record maintained as per Factories Act.	Occupational health surveillance will be conducted, and records will be maintained.
XVI	The company shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling.	<p>Portable fire extinguishers have been installed at various key locations throughout the facility, based on a thorough assessment of the specific fire hazards present in each area. These extinguishers serve as the first line of defence in case of fire emergencies.</p> <p>In accordance with statutory requirements, Form B is submitted to the Fire Services Department at regular intervals, specifically every six months, to ensure ongoing compliance with fire safety norms.</p> <p>To enhance early detection capabilities and minimize potential risks, a leak detection system has been installed at strategically identified locations within the premises. This system allows for prompt identification and response to any leakage incidents.</p> <p>Furthermore, a fully functional fire hydrant system is available on-site to provide a reliable water supply in the event of a fire.</p> <p>The reactors are equipped with an automatic hot oil cut-off mechanism, designed to immediately halt the hot oil supply in case of abnormal conditions, thereby preventing overheating and potential hazards. In addition, an automatic cut-off system is also integrated into the steam supply line to ensure safe operation and prevent overpressure or overheating scenarios.</p> <p>Photographs documenting the above-mentioned safety installations- including portable fire extinguishers, leak detection systems, fire hydrant system, and automatic cut-off mechanisms are enclosed herewith as Annexure-VII.</p>
XVII	The project authorities must strictly comply with the rules and regulations with regard to handling and disposal of hazardous wastes in accordance with the Hazardous Waste (Management and Handling) Rules, 2003 (amended). Authorization from the MPCB shall be obtained for collections/treatment/storage/disposal of hazardous wastes	<p>We have obtained valid membership with Mumbai Waste Management Limited, Mumbai, for the safe and authorized disposal of hazardous waste generated from our operations. This membership is currently valid until March 2026, ensuring that our waste disposal practices remain in compliance with applicable regulatory requirements. A copy of the membership certificate is enclosed herewith as Annexure-VIII</p> <p>We hereby assure that all activities related to the handling, storage, transportation, and disposal of hazardous waste will be carried out in strict adherence to the provisions of the Hazardous Waste (Management and Handling) Rules, 2003, as amended from time to time.</p>

**4. Six Monthly EC Compliance by Chemspec Chemicals Private Limited, MIDC Taloja
(Period October 2024 to March 2025)**

XVIII	Regular mock drills for the on-site emergency management plan shall be carried out. Implementation of changes / improvements required, if any, in the on- site management plan shall be ensured.	Regular mock drills are being conducted for emergency preparedness measures, in accordance with the approved On-Site Emergency Plan. The drills are carried out to ensure that all personnel are well-versed in emergency response procedures and are capable of acting promptly and effectively during any untoward incident. In addition, safety trainings are conducted at regular intervals with the objective of enhancing awareness among employees regarding occupational hazards, safe work practices, and appropriate responses during emergency situations. The safety training records are enclosed as an Annexure-II .
XIX	A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.	The structure of the environmental management cell is enclosed as an Annexure-IX .
XX	Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year-wise expenditure should reported to the MPCB & this department.	The item wise statement of funds allocated for the environmental protection measures / EMP is enclosed as Annexure-X . We ensure that The funds earmarked for the environment protection measures will not be diverted for other purposes and year-wise expenditure will be reported to the MPCB & this department.
XXI	The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter; informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at http://ec.maharashtra.gov.in	We have inadvertently missed out the publishing of the advertisement in the two widely circulated newspapers one in English and the other in Marathi language. We regret the same.
XXII	Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.	We are hereby submitting the six-monthly EC Compliance Report for the period from October 2024 to March 2025. As part of this submission, the acknowledgement receipts of the previously submitted consolidated EC Compliance Report-uploaded on the PARIVESH Portal of the MoEF&CC along with submissions made to the relevant regulatory authorities, including the RD-CPCB, RO, and SRO of the MPCB are enclosed as Annexure-XI .
XXIII	A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received	We have not submitted the copy of the clearance letter to the local NGO as no representations were received from the NGO.


**5. Six Monthly EC Compliance by Chemspec Chemicals Private Limited, MIDC Taloja
(Period October 2024 to March 2025)**

	while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.	
XXIV	The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO ₂ , NO _x (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.	We are hereby submitting the six-monthly EC Compliance Report for the period from October 2024 to March 2025. we will shortly upload the same on our website. As of now the reconstruction work of project is completed as our project was totaled damaged due to fire incident dated 28.12.2023. The ambient air quality monitoring will be conducted regularly. The stack monitoring will also being conducted.
XXV	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective. Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.	We are hereby submitting the six-monthly EC Compliance Report for the period from October 2024 to March 2025. As part of this submission, the acknowledgement receipts of the previously submitted consolidated EC Compliance Report-uploaded on the PARIVESH Portal of the MoEF&CC along with submissions made to the relevant regulatory authorities, including the RD-CPCB, RO, and SRO of the MPCB are enclosed as Annexure-XI .
XXVI	The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.	We will submit environmental statement i.e, Form –V online on the portal of MPCB on once our project restarts. And production commenced.
4.	The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.	Noted and agreed.
5.	In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action	Noted and agreed.

**6. Six Monthly EC Compliance by Chemspec Chemicals Private Limited, MIDC Taloja
(Period October 2024 to March 2025)**

	under Environmental Protection Act, 1986.	
6.	The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.	Noted and agreed.
7.	Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, and amendments by MoEF&CC Notification dated 29th April, 2015.	Noted and agreed.
8.	In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.	Noted and agreed.
9.	The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.	The latest valid public liability insurance policy is enclosed as Annexure-XII.
10.	Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D-, Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	Noted and agreed.

Chemspec Chemicals Pvt Ltd.
3C & 3B-1, MIDC, Talaja, Raigad- 410208



Effluent Treatment Plant : Primary Treatment

- Preliminary treatment



- Primary treatment



Secondary Treatment



Tertiary Treatment



UF / Reverse Osmosis (Recycle)




Multiple Effect Evaporator



Filter Press Unit



CHEMSPEC CHEMICALS PVT. LTD.		MASTER COPY			
Title: Training Attendance Record					
Department : HR, IR and Administration					
Effective Date	31/10/2024	Review Date	30/10/2024	Page No.	1 of 1

Name of Trainer: Sudhakar Keshar Time duration: 1 days
 Training Topic: Fire fighting Date: 15/3/2025
 Mode of Training: Written/ Verbal Type of Training: (CRT/ OJT/ ET)

Sr. No.	Name of Trainees	Department	Sign/Date
1.	Mohini Jadhav	HR/IR	<u>Mohini</u> 15/03/2025
2.	Harshad S. Patil	QC	<u>H</u> 15/03/2025
3.	Ankush Jadhav	EHS	<u>Ankush</u> 15/03/2025
4.	Rakesh S. Patil	EHS - Fireman	<u>Rakesh</u> 15/03/2025
5.	Amit V. Agarwal	EHS	<u>Amit</u> 15/03/2025
6.	Aditya C. Morkar	EHS Fireman	<u>Aditya</u> 15/03/2025
7.	Sadashiv Adagale	EHS	<u>Sadashiv</u> 15/03/2025
8.	Shrawad Kambale	R&D	<u>Shrawad</u> 15/03/2025

Signature of Trainer:

Sudhakar Keshar

Note* CRT- Class Room Training
 OJT- On Job Training
 ET- External Training


	Prepared By	Checked By	Approved By	Authorized By
Name	Pratiksha Z.	Mohini Jadhav	Rishay S. Patil	R. C. Patil
Signature & Date	<u>Pratiksha</u> 29/10/2024	<u>Mohini</u> 29/10/2024	<u>Rishay</u> 29/10/2024	<u>R. C. Patil</u> 29/10/2024
Designation	Asst. Manager	Manager - HR/IR	Sr. Asst. - HR Admin	Gen. Quality
Department	HR, IR & Admin	HR, IR & Admin	HR, IR & Admin	Quality Assurance

Format No.: HR014/F/08-00

Controlled Copy
 Issued by:

Sign: ep

Date: 15/03/2025

CHEMSPEC CHEMICALS PVT. LTD.		MASTER COPY			
Title: Training Attendance Record					
Department : HR, IR and Administration					
Effective Date	31/10/2024	Review Date	30/10/2024	Page No.	1 of 1

Name of Trainer: Sudhakar Keekar Time duration: 1 day
 Training Topic: Fire fighting Date: 15/3/25
 Mode of Training: Written/ Verbal Type of Training: (CRT/ OJT/ ET)

Sr. No.	Name of Trainees	Department	Sign/Date
8	Vinayak Surjanwarshi	P-S/Production	8. 15/03/25
9)	Pravin V. Patil	P-S/Production	9. 15/03/25
10)	Ardhesh B. Rujh	P-S/Production	10. 15/03/25
11)	Mohan Bhete (041)	FMCG Product	11. 15/3/25
12)	Sanil Shinde	mech	12. 15/03/25
13.)	Prajwal Kornekar	operator	13. 15/03/25
14.)	Vishal Y. Kathera	R&D (ADD)	14. 15/03/2025 S-1355
15)	NARESH NARESH AGALWSE	FMCG	15. 15/3/2025

Signature of Trainer:

Sudhakar Keekar

Note* CRT- Class Room Training
 OJT- On Job Training
 ET- External Training

	Prepared By	Checked By	Approved By	Authorized By
Name	Pratisha Z.	Mahini Jadhav	Ashay S. Rana	R. C. Patil
Signature & Date	<u>Pratisha Z.</u> 29/10/2024	<u>Mahini Jadhav</u> 29/10/2024	<u>Ashay S. Rana</u> 29/10/2024	<u>R. C. Patil</u> 29/10/2024
Designation	Asst. it. Manager	Manager- HR/IR	Sr. DGM- HR/ Admin	Gen. Reality
Department	HR, IR & Admin	HR, IR & Admin	HR, IR & Admin	Quality Assurance

Format No.: HR014/F/08-00

Controlled Copy

Issued by:

Sign: ep
 Date: 15/03/2025



Title: Training Attendance Record

Department : HR, IR and Administration

Effective Date 31/10/2024 Review Date 30/10/2024 Page No. 1 of 1

Name of Trainer: Sudhakar Keshar Time duration: 1 day

Training Topic: fire fighting Date: 15/3/2025

Mode of Training: Written/ Verbal

Type of Training: (CRT/ OJT/ ET)

Sr. No.	Name of Trainees	Department	Sign/Date	
16	BALIRAM BHOIR	PS		
17)	Kiran mukarjane	maina		
18)	Ashok. M. Sawan	OMCX		06
19)	Sanjay D. Thakur	OMCX		84
20)	Titendra J. Bagale	OMCX		83
21)	MAHENDRA G. GADKAR	PHARMA		04
22)	ANIL KATHARE	FG		
23)	Ankush B...	OMCX		21

Signature of Trainer:

Note* CRT- Class Room Training

OJT- On Job Training

ET- External Training

	Prepared By	Checked By	Approved By	Authorized By
Name	Patiksha Z.	Mohini Jadhav	Ashay S. Patil	R. C. Patil
Signature & Date	28/10/2024	29/10/2024	29/10/2024	29/10/2024
Designation	Asst. Manager	Manager- HR/IR	Sr. Asst. Manager- HR/IR	Gen. Manager
Department	HR, IR & Admin	HR, IR & Admin	HR, IR & Admin	Quality Assurance

Format No.: HR014/F/08-00

Controlled Copy

Issued by:

Sign: 15/03/2025

Date:



Title: Training Attendance Record

Department : HR, IR and Administration

Effective Date 21/10/2024 Review Date 30/10/2024 Page No. 1 of 1

Name of Trainer: Sudhakar Kestkar Time duration: 1 day

Training Topic: Fire fighting, Date: 15/3/24

Mode of Training: Written/ Verbal

Type of Training: (CRT/ OJT/ ET)

Sr. No.	Name of Trainees	Department	Sign/Date
24	Navnath Bhopi	P-05	
25	Pranesh Powle	P-05	
NA			

Signature of Trainer:

Note* CRT- Class Room Training

OJT- On Job Training

ET- External Training

	Prepared By	Checked By	Approved By	Authorized By
Name	Pratishtha Z.	Mohini Jadhav	Ashay S. Patil	R. C. Patil
Signature & Date	29/10/2024	29/10/2024	29/10/2024	29/10/2024
Designation	Asst. Manager	Manager- HR/IR	Sr. Dgm. HR/Admin	Gen. Quality
Department	HR, IR & Admin	HR, IR & Admin	HR, IR & Admin	Quality Assurance


Format No.: HR014/T/08-00

Controlled Copy

Issued by:

Sign:

Date: 15/03/2025

CHEMSPEC CHEMICALS PVT. LTD.		MASTER COPY			
Title: Training Attendance Record					
Department : HR, IR and Administration					
Effective Date	31/10/2024	Review Date	30/10/2024	Page No.	1 of 1

Name of Trainer: Aditya Mahad

Time duration: 20:00 To 20:25

Training Topic: Fire alarm panel


Date: 02/11/2024





Mode of Training: Written/ Verbal

Type of Training: (CRT/ OJT/ ET)



Sr. No.	Name of Trainees	Department	Sign/Date
1	R. Id. Mahab	Security	Phy -
2	Bhim Singh Tiya	Security	Blues
3	Dinesh Kumar Yadav	Security	Aty
4	MD ASFAZ	Security	Aty
5	Bajirao Jandhar	Security	Bramble


Signature of Trainer:


02/11/2024
Note* CRT- Class Room Training
OJT- On Job Training
ET- External Training










	Prepared By	Checked By	Approved By	Authorized By
Name	Ratisha Z.	Mohini Jadhav	Ashay S. Rana	R. C. Patil
Signature & Date	 28/10/2024	 29/10/2024	 29/10/2024	 29/10/2024
Designation	Asst. Manager	Manager - HR/IR	Sr. AGM - HR/Admin	
Department	HR, IR & Admin	HR, IR & Admin	HR, IR & Admin	Quality Assurance

Format No.: HR014/F/08-00

Controlled Copy
Issued by: 
Sign: 
Date: 31/10/2024

CHEMSPEC CHEMICALS PVT. LTD.		MASTER COPY			
Title: Training Attendance Record					
Department : HR, IR and Administration					
Effective Date	09/09/2024	Review Date	08/09/2027	Page No.	1 of 1

Name of Trainer: Mahesh MoShinde Time duration: 10:45 To 11:45
 Training Topic: [50205 fire safety] Date: 19/09/2024
 Operation of Foam water
 Mode of Training: Written/ Verbal Sprinkler Syllabus Type of Training: (CRT/ OJT/ ET)

Sr. No.	Name of Trainees	Department	Sign/Date
1)	Rakesh S. Patil	EHS	
2)	Roshan Patil	EHS	
3)	Amit Agare	EHS	
4)	Rajesh Telange	EHS	
5)	Rajan Thange	EHS	
6)	Shubash more	P.O.B	
7)	 Ajit Khathora	P.6	
8)	Ashok Sawant	P-6	





Signature of Trainer:





Note* CRT- Class Room Training

OJT- On Job Training

ET- External Training

	Prepared By	Checked By	Approved By	Authorized By
Name	Pratiksha Z.	Mohini Indhavar	Hemant Gad	Duren Shett
Signature & Date	 09/09/2024	 09/09/2024	 09/09/2024	 09/09/2024
Designation	Asst manager	Manager-HR/IR	GM-HR/IR	CRM
Department	HR,IR & Admin	HR,IR & Admin	HR,IR & Admin	Quality Assurance

Format No.: HR014/F/08-00

Controlled Copy
 Issued by: 
 Sign: 
 Date: 02/10/2024

CHEMSPEC CHEMICALS PVT. LTD.		MASTER COPY			
Title: Training Attendance Record					
Department : HR, IR and Administration					
Effective Date	09/09/2024	Review Date	08/09/2027	Page No.	1 of 1

Name of Trainer: Mahesh D. Shinde

Time duration: 10:45 To 11:45

Training Topic: Operation of foam water sprinkler system

Date: 19/10/2024

Mode of Training: Written/ Verbal

Type of Training: (CRT/ OJT/ ET)

Sr. No.	Name of Trainees	Department	Sign/Date
9A	Iketan Thakur	Prod P-6	Bh
10A	Santosh Bodhe	P-6	Sd
11A	Parag Deshmukh	production	Summer
12A	Nishu Patil	P-6	SP
13A	MAHESH GONHAR	P-6	net
14A	Chandakant Madane	P-6	Chakr
15A	Ram. K. mhere	P-6	Pr
16A	Nitesh. D. Bhair	P-6	NB/E





Signature of Trainer:

MS

Note* CRT- Class Room Training

OJT- On Job Training

ET- External Training

	Prepared By	Checked By	Approved By	Authorized By
Name	Pratikshya Z.	Mohini Indhe	Hemant Gad	Deven Shalt
Signature & Date	 04/09/2024	 04/09/2024	 04/09/2024	 05/09/2024
Designation	Asst. manager	Manager-HR/IR	GM-HR/IR	CRM
Department	HR,IR & Admin	HR,IR & Admin	HR,IR & Admin	Quality Assurance

Format No.: HR014/F/08-00

Controlled Copy


Issued by:

Sign:

Date:

MS

02/10/2024

CHEMSPEC CHEMICALS PVT. LTD.		MASTER COPY		
Title: Training Attendance Record				
Department : HR, IR and Administration				
Effective Date	09/09/2024	Review Date	08/09/2027	Page No. 1 of 1

Name of Trainer: Mahesh M. Shinde








Time duration: 10.45 to 11.45

Training Topic: Operation of foam water sprinkler system

Date: 10/10/2024





Mode of Training: Written/ Verbal ☒

Type of Training: (CRT/ OJT/ ET) ☒

Sr. No.	Name of Trainees	Department	Sign/Date
1	Sainath Mohite	Production P5	 19/10/2024
2	Sanket Rajare	production P5	 19/10/2024
3	Mahadea Kuntale	Production P5	
4	DN Jankhane	Production P5	
5	Pamdas Theme	Production P5	
6	A. Kadam	Team P5	
7	Barburao Patil	P-5	
8	Hansi Shinde	Production P-5	

Signature of Trainer:

Note* CRT- Class Room Training
OJT- On Job Training
ET- External Training

	Prepared By	Checked By	Approved By	Authorized By
Name	Pratiksha Z.	Mohini Indhavar	Hemant Gad	Muren Shett
Signature & Date	 09/09/2024	 09/09/2024	 09/09/2024	 05/09/2024
Designation	Asst. manager	Manager- HR/IR	Gm- HR/IR	Crn
Department	HR, IR & Admin	HR, IR & Admin	HR, IR & Admin	Quality Assurance


Format No.: HR014/F/08-00


Controlled Copy

Issued by:

Sign:

Date:


02/10/2024

CHEMSPEC CHEMICALS PVT. LTD.		MASTER COPY		
Title: Training Attendance Record				
Department : HR, IR and Administration				
Effective Date	09/09/2024	Review Date	08/09/2027	Page No. 1 of 1

Name of Trainer: Mahesh Mo Shinde
 [Safety for & Safety]
 Training Topic: Operation of foam water
 sprinkling system
 Mode of Training: Written/ Verbal

Time duration: 10.45 to 11.45

Date: 13/10/2024

Type of Training: (CRT/ OJT/ ET)

Sr. No.	Name of Trainees	Department	Sign/Date
9)	Kishor Phoir	FMCC	[Signature]
10)	Bekiram Shoir	PS	[Signature]
11)	KI Smapa	PS	[Signature]
12)	Santosh N. Yade	PS	[Signature]
13)	Pranesh Powale	PS	[Signature]
14)	Dnyaneshwar Bhor	Phazme	[Signature]
15)	HA		
16)			

Signature of Trainer:

Note* CRT- Class Room Training
 OJT- On Job Training
 ET- External Training

	Prepared By	Checked By	Approved By	Authorized By
Name	Ratikshya Z.	Mohini Indhav	Hemant Gad	Muren Shett
Signature & Date	[Signature] 09/09/2024	[Signature] 04/09/2024	[Signature] 09/09/2024	[Signature] 05/09/2024
Designation	Asst. Manager	Manager-HR/IR	GM-HR/IR	Crn
Department	HR,IR & Admin	HR,IR & Admin	HR,IR & Admin	Quality Assurance

Format No.: HR014/F/08-00


Controlled Copy

Issued by:

Sign:

Date:

[Signature] 02/10/2024

CHEMSPEC CHEMICALS PVT. LTD.		MASTER COPY			
Title: Training Attendance Record					
Department : HR, IR and Administration					
Effective Date	09/09/2024	Review Date	08/09/2027	Page No.	1 of 1

Name of Trainer: Mahesh M. Shinde
[Safety Fire & Safety]
Training Topic: Operation of Foam Water
Sprinkler system
Mode of Training: Written/ Verbal

Time duration: 10.45 To 11.45





Date: 19/10/2024

Type of Training: (CRT/ QJT/ ET)

Sr. No.	Name of Trainees	Department	Sign/Date
01	prem kumar	S/G	phnk
02	Bajirao Jamdar	Sum	Bjram
03	BINUD KOCH	S/G	BK
04	MD ASIF ALI	S/G	AS
05	Achamel more	S/G	Am
NA			

Signature of Trainer:

Note* CRT- Class Room Training
QJT- On Job Training
ET- External Training

	Prepared By	Checked By	Approved By	Authorized By
Name	Ratiksha Z.	Mohini Jadhav	Hemant Gad	Divya Shett
Signature & Date	 09/09/2024	 09/09/2024	 09/09/2024	 09/09/2024
Designation	Asst. manager	Manager-HR/IR	Gm-HR/IR	Crn
Department	HR,IR & Admin	HR,IR & Admin	HR,IR & Admin	Quality Assurance

Format No.: HR014/F/08-00


Controlled Copy

Issued by:

Sign:

Date:


02/10/2024









CHEMSPEC CHEMICALS PVT. LTD.		MASTER COPY			
Title: Training Attendance Record					
Department : HR, IR and Administration					
Effective Date	09/09/2024	Review Date	08/09/2027	Page No.	1 of 1


Name of Trainer: PRAKASH G. SHETE Time duration: 30 Min.

Training Topic: FOAM SPRINKLER SYSTEM Date: 03/10/2024

Mode of Training: Written/ Verbal DEMONSTRATION - FMCG

Type of Training: (CRT/ OJT/ ET)





Sr. No.	Name of Trainees	Department	Sign/Date
1.	D. H. Bhatkar	Production	
2.	Pranod Bhoir	FMCG Production	
3.	Aniket Kokale	FMCG - Production	
4.	Rohit Pandurang Patil	Pharma - Production	
5.	Yashraj Pradip Dabode	Pharma - Production	
6.	V. D. S. Lela	FMCG Production	
7.	N. N. Patil	FMCG Production	
8.	Ashish A. Saldur	Production	

Signature of Trainer: 

Note* CRT- Class Room Training


OJT- On Job Training

ET- External Training

	Prepared By	Checked By	Approved By	Authorized By
Name	Pratikshya Z.	Mehini Indlaw	Hemant Gad	Khuram Bhatt
Signature & Date	 04/09/2024	 04/09/2024	 03/09/2024	 05/09/2024
Designation	Asst. manager	Manager-HR/IR	GM-HR/IR	GM
Department	HR,IR & Admin	HR,IR & Admin	HR,IR & Admin	Quality Assurance

Format No.: HR014/F/08-00


Controlled Copy

Issued by: 

Sign:

Date:








02/10/2024


CHEMSPEC CHEMICALS PVT. LTD.		MASTER COPY			
Title: Training Attendance Record					
Department : HR, IR and Administration					
Effective Date	09/09/2024	Review Date	08/09/2027	Page No.	1 of 1

Name of Trainer: PRAKASH B. SHETE Time duration: 30 Min.





Training Topic: FOAM SPRINKLER SYSTM Date: 03/10/2024

Mode of Training: Written/ Verbal ☒ FMCG Type of Training: (CRT/ OJT/ ET) ☒



Sr. No.	Name of Trainees	Department	Sign/Date
1.	mahendra badgwar	Pharma	
2.	Santosh Ghazal	Mainstem	
3	Ankush Bhoir	PS	
4.	sushesh Bhoir	FMCG	
5.	Atish Bhagat	P6	
6	Shanivkar Patil	P.6	S.N. Patil
7	sadhunad Balunke	P6	
8.	Mohan Bherde	FMCG	

Signature of Trainer:  P.M.

Note* CRT- Class Room Training
OJT- On Job Training
ET- External Training

	Prepared By	Checked By	Approved By	Authorized By
Name	Pratikshya Z.	Mohini Indhuv	Hemant Gad	Dhruv Shett
Signature & Date	 09/09/2024	 09/09/2024	 09/09/2024	 05/09/2024
Designation	Asst. manager	Manager-HR/IR	GM-HR/IR	Crn
Department	HR,IR & Admin	HR,IR & Admin	HR,IR & Admin	Quality Assurance

Format No.: HR014/F/08-00

Controlled Copy
Issued by: 
Sign: 
Date: 02/10/2024







CHEMSPEC CHEMICALS PVT. LTD.		MASTER COPY			
Title: Training Attendance Record					
Department : HR, IR and Administration					
Effective Date	09/09/2024	Review Date	08/03/2027	Page No.	1 of 1

Name of Trainer: PRAKASH B. JHETE Time duration: 30 Min.

Training Topic: FOAM SPRINKLER SYSTEM Date: 03/10/2024

Mode of Training: Written/ Verbal ✓

Type of Training: (CRT/ OJT/ ET) ✓





Sr. No.	Name of Trainees	Department	Sign/Date
9	Ramesh Patil	Pharma	
10	Ganesh Mhatre	FMCG	
11	Jayesh Bachu	FMCG	
12	Nagesh Parve	—	
13	Datta S	—	
14	Vilas Sonar	—	

Signature of Trainer: 

Note* CRT- Class Room Training

✓ OJT- On Job Training

ET- External Training

	Prepared By	Checked By	Approved By	Authorized By
Name	Pratiksha Z.	Mohini Jadhav	Hemant Gad	Khuram Shatt
Signature & Date	 04/09/2024	 04/09/2024	 03/09/2024	 05/09/2024
Designation	Asst. manager	Manager-HR/IR	GM-HR/IR	Crn
Department	HR,IR & Admin	HR,IR & Admin	HR,IR & Admin	Quality Assurance


Format No.: HR014/F/08-00

Controlled Copy









Issued by: 


Sign: 

Date: 02/10/2024





CHEMSPEC CHEMICALS PVT LTD.		MASTER COPY			
Title: Training Attendance Record					
Department : Quality Assurance					
Effective Date	20/01/2024	Review Date	19/01/2027	Page No.	1 of 1

Name of Trainer: PRAKASH D. SHETE Time duration: 30 Min .
 Training Topic: New foam sprinkler system date: 28/09/2024
 Mode of Training: Written/ Verbal ^{P5} Type of Training: (CRT/ OJT/ ET)

Sr. No.	Name of Trainees	Department	Sign/Date
1)	Sachin Nagaonkar	production	 28/09/2024
2)	K. P. Singh	P-5	 28/09/2024
3)	Ravi N. Vekhande	Production	 28/09/2024
4)	Alish A. Saldur	Production	 28/09/2024
5)	B. Kadam	P-5	 28/09/24
6)	Maria Est	P. F	 28/09/2024
7)	Rajesh Bherg	P-6	 28/09/2024
8)	Baliram BHOER	P-5	 28/09/24

Signature of Trainer: 
P.D. Shete

Note* CRT- Class Room Training
 OJT- On Job Training
 ET- External Training

	Prepared By	Checked By	Approved By	Authorized By
Name	Pratik Kopa-raj	Jayashri Patil	Aniket Naik	P. J. Patel
Signature & Date	 09/10/2024	 09/10/2024	 10/10/2024	 10/10/2024
Designation	Officer	Executive	Sr. Executive	S.G.M. Quality
Department	Quality Assurance	Quality Assurance	Quality Assurance	Quality Assurance

Format No.: QA002/F/08-00

CHEMSPEC CHEMICALS PVT LTD.

MASTER COPY



Title: Training Attendance Record

Department : Quality Assurance

Effective Date 20/01/2024

Review Date

19/01/2027

Page No.

1 of 1

Name of Trainer: PRAKASH B. SHETE

Time duration: 30 Min.

Training Topic: New foam sprinkler system

Date: 28/09/2024

Mode of Training: Written/ Verbal

Type of Training: (CRT/ OJT/ ET)

Sr. No.	Name of Trainees	Department	Sign/Date
9>	Aniket Kokate	Production	AAK 28/09/24
10>	Dhruvadev Bhaskar	Production	Heu 28/09/24
11>	Sagar B. Pabrekar	production	SP 28/09/2024
12>	Pranesh Powale	production	P/P 28/09/2024
13>	Sirout Mohite	Production	JS 28/09/2024
14>	Mahendra Karkh	P-5	MS 28/09/2024
15>	Sagar d. Bhu	maint	SPM 28/09/24
16>	Akshay Patil	maint	Amfali 28/09/2024

Signature of Trainer:

Prm.

Note* CRT-Class Room Training

OJT- On Job Training


ET- External Training

	Prepared By	Checked By	Approved By	Authorized By
Name	Pratik Koparkar	Jayashri Patil	Aniket Naik	P. J. Patel
Signature & Date	29/09/2024	29/09/2024	29/09/2024	29/09/2024
Designation	officer	Executive	Sr. Executive	Sr. G.M. Quality
Department	Quality Assurance	Quality Assurance	Quality Assurance	Quality Assurance

Format No.: QA002/F/08-00

CHEMSPEC CHEMICALS PVT LTD.

MASTER COPY



Title: Training Attendance Record

Department : Quality Assurance

Effective Date 20/01/2024

Review Date

13/01/2027

Page No.

1 of 1



Name of Trainer: PRAKASH B. SHETE Time duration: 30 Min

Training Topic: New foam sprinkles system Date: 28/09/2024

Mode of Training: Written/ Verbal

P-5

Type of Training: (CRT/ OJT/ ET)

Sr. No.	Name of Trainees	Department	Sign/Date
17)	Nitesh. D. Shoir	P. 6	 28/09/24
18)	Ashish A. Khandagale	P. 5	 28/09/2024





Signature of Trainer:




Note* CRT- Class Room Training

OJT- On Job Training

ET- External Training

	Prepared By	Checked By	Approved By	Authorized By
Name	Pratik Koparkar	Jayashri Patil	Aniket Naik	P. J. Patel
Signature & Date	 29/09/2024	 29/09/2024	 29/09/2024	 29/09/2024
Designation	Officer	Executive	Sr. Executive	Sr. G.M. Quality
Department	Quality Assurance	Quality Assurance	Quality Assurance	Quality Assurance

Format No.: QA002/F/08-00

CHEMSPEC CHEMICALS PVT. LTD.		MASTER COPY		
Title: Training Attendance Record				
Department : HR, IR and Administration				
Effective Date	09/09/2024	Review Date	08/09/2027	

Name of Trainer: Rajan Thurn









Time duration: 11.30 to 12.30 hrs


Training Topic: Foam Sprinkler System
Demonstration - FCC Plant

Date: 02/10/2024

Mode of Training: Written/ Verbal

Type of Training: (CRT/ OJT/ ET)





Sr. No.	Name of Trainees	Department	Sign/Date
1	Tejas Honwar	HR	
2	Ranul YADAV	HR/Admin	
3	Pratiksha Zireelkar	HR	
4	Shrikant Kanhere	HR	
5	Akash dhae	Maint	
6	Dhruwadee Bhattach	Production	
7	V. D. Shela	Production	
8	Jaywant Gawde.	Maintenance	

Signature of Trainer: 
02/10/2024

Note* CRT- Class Room Training

OJT- On Job Training

ET- External Training

	Prepared By	Checked By	Approved By	Authorized By
Name	Pratiksha Z.	Mohini Indhav	Hemant Gad	Dhruv Shakt
Signature & Date	 04/09/2024	 04/09/2024	 04/09/2024	 05/09/2024
Designation	Asst. manager	Manager- HR/IR	GM- HR/IR	Com
Department	HR,IR & Admin	HR,IR & Admin	HR,IR & Admin	Quality Assurance

Format No.: HR014/F/08-00

Controlled Copy


Issued by:

Sign:

Date:



02/10/2024

CHEMSPEC CHEMICALS PVT. LTD.		MASTER COPY			
Title: Training Attendance Record					
Department : HR, IR and Administration					
Effective Date	09/09/2024	Review Date	08/09/2027	Page No.	1 of 1

Name of Trainer: Rajam Thangar

Time duration: 11.30 to 12.30 hrs

Training Topic: Four Sprinter System
Demonstration - TCE plant

Date: 02/10/2024

Mode of Training: Written/ Verbal

Type of Training: (CRT/ OJT/ ET)

Sr. No.	Name of Trainees	Department	Sign/Date
9)	Sashash Bhorv	Fmce	<u>Sashash</u>
10)	Ganesh Mhatre	Fmce	<u>Gm</u>
11)	Kantilal Dubey	pharma	<u>Kantilal</u> 02/10/2024
12)	Surash mclunekar	Process	<u>Surash</u>
13)	Ranjit Patil	Project	<u>Ranjit</u>
14)	Ranesh R. Patil	Pharma	<u>Ranjit</u>
15	Krishanu mhatre	Pharma	<u>Krishanu</u>

Signature of Trainer: [Signature]
02/10/2024

Note* CRT- Class Room Training

OJT- On Job Training

ET- External Training

	Prepared By	Checked By	Approved By	Authorized By
Name	Ratishg 2.	Mohini Jadhav	Hemant Gad	Shirish Shett
Signature & Date	<u>[Signature]</u> 04/09/2024	<u>[Signature]</u> 04/09/2024	<u>[Signature]</u> 09/09/2024	<u>[Signature]</u> 05/09/2024
Designation	Asst. manager	Manager-HR/IR	GM-HR/IR	GM
Department	HR,IR & Admin	HR,IR & Admin	HR,IR & Admin	Quality Assurance

Format No.: HR014/F/08-00


Controlled Copy

Issued by: [Signature]

Sign:

Date:

02/10/2024

CHEMSPEC CHEMICALS PVT LTD.		MASTER COPY			
Title: Training Attendance Record					
Department : Quality Assurance					
Effective Date	20/01/2024	Review Date	19/01/2027	Page No.	1 of 1

Name of Trainer: Sadashiv S. Adagale Time duration: 11:00 to 12:15 Hrs
 Training Topic: General Safety Awareness / Basics of Fire and Safety Date: 16/09/2024
 Mode of Training: Written/ Verbal Type of Training: (CRT/ OJT/ ET)

Sr. No.	Name of Trainees	Department	Sign/Date
1	Kantilal Dubey	production	<u>Dubey</u>
2	machindan Jochi	production	<u>Jochi</u>
3	Ram Patil	Pharmacy	<u>R.K. Patil</u>
4	KRISHNA.V. mhatre	Pharmacy	<u>Am</u>
5	Kiran mukadam	malet	<u>ST</u>
6	Sagar d. Bhui	malet	<u>Sagar</u>
7	Narnath Bhopi	production	<u>Narnath</u>
8	Vinayak Juyashini	production	<u>J.</u>


Signature of Trainer: Sadashiv S. Adagale
16/09/2024

Note* CRT- Class Room Training
 OJT- On Job Training
 ET- External Training

	Prepared By	Checked By	Approved By	Authorized By
Name	<u>Pratik Koparkar</u>	<u>Jayashri Patil</u>	<u>Aniket Naik</u>	<u>P. J. Patil</u>
Signature & Date	<u>Pratik</u> <u>09/10/2024</u>	<u>Bijl</u> <u>09/10/2024</u>	<u>Aniket</u> <u>10/10/2024</u>	<u>Pratik</u> <u>10/10/2024</u>
Designation	<u>Officer</u>	<u>Executive</u>	<u>Sr. Executive</u>	<u>Sr. G.M. Quality</u>
Department	<u>Quality Assurance</u>	<u>Quality Assurance</u>	<u>Quality Assurance</u>	<u>Quality Assurance</u>

Format No.: QA002/F/08-00

Controlled Copy
 Issued by: AM
 Sign: 02/09/2024
 Date:

CHEMSPEC CHEMICALS PVT LTD.		MASTER COPY			
Title: Training Attendance Record					
Department : Quality Assurance					
Effective Date	20/01/2024	Review Date	19/01/2024	Page No.	1 of 1

Name of Trainer: Sadashiv S. Adagale

Time duration: 11:00 to 12:15 Hrs

Training Topic: General Safety Awareness / Basics of
Fire and Safety

Date: 16/09/2024

Mode of Training: Written / Verbal

Type of Training: (CRT/ OJT/ ET)





Sr. No.	Name of Trainees	Department	Sign/Date
9	Sushash Mishra	Finance	Sush
10	Manendra Patil	Production	Man
11	Ramesh Patil	Pharmacy	Ramesh
12	Bharat Kelane	P-5	Bharat
13	Ganesh Patil	Plant	Ganesh
14	Munesh Chavhan	Plant	Munesh
15	Jayashree Kulkarni	SMCA	Jayashree
16	Ajit Ambekar	Plant	A. Ambekar

Signature of Trainer:  16/09/2024



Note* CRT- Class Room Training

OJT- On Job Training

ET- External Training

	Prepared By	Checked By	Approved By	Authorized By
Name	Pratik Koparkar	Jayashree Patil	Aniket Naik	P. J. Patil
Signature & Date	 09/10/2024	 09/10/2024	 10/10/2024	 10/10/2024
Designation	Officer	Executive	Sr. Executive	Sr. G.M. Quality
Department	Quality Assurance	Quality Assurance	Quality Assurance	Quality Assurance

Format No.: QA002/F/08-00

Controlled Copy
Issued by: 
Sign: 
Date: 02/09/2024

CHEMSPEC CHEMICALS PVT LTD.		MASTER COPY			
Title: Training Attendance Record					
Department : Quality Assurance					
Effective Date	20/01/2024	Review Date	19/01/2027	Page No.	1 of 1

Name of Trainer: Sadashiv S-Adagale

Time duration: 11:00 to 12:15 Hrs

Training Topic: General Safety Awareness/Basics of fire & Safety.

Date: 16/09/2024

Mode of Training: Written/ Verbal

Type of Training: (CRT/ OJT/ ET)

Sr. No.	Name of Trainees	Department	Sign/Date
17	Brahmharath V Mhatre	TCC	
18	Aadesh Raybur	P.S	
19	prakash Tivari	P.S	
20	choudary Mhatre	FMCG	
		NA	

Signature of Trainer:

Note* CRT- Class Room Training

OJT- On Job Training

ET- External Training

	Prepared By	Checked By	Approved By	Authorized By
Name	Pratik Kapatkar	Jayashri Patil	Aniket Naik	P. J. Patel
Signature & Date				
Designation	Officer	Executive	Sr. Executive	S.G.M. Quality
Department	Quality Assurance	Quality Assurance	Quality Assurance	Quality Assurance

Format No.: QA002/F/08-00

Controlled Copy
 Issued by:
 Sign:
 Date: 02/09/2024

CHEMSPEC CHEMICALS PVT LTD.		MASTER COPY			
Title: Training Attendance Record					
Department : Quality Assurance					
Effective Date	20/01/2024	Review Date	19/01/2027	Page No.	1 of 1

Name of Trainer: Sadashiv S. Adagale

Time duration: 11:30 to 13:30 hrs

Training Topic: Personal Protective Equipments

Date: 10/09/2024

Mode of Training: Written/ Verbal

Type of Training: (CRT/ OJT/ ET)

Sr. No.	Name of Trainees	Department	Sign/Date
01	Suresh J. J. J.	FMCL-TEE	10/09/24
02	Narmath Koli	fmcl	10/09/24
03	रमेश शिंदे	P.6	10/09/24
04	दशरथ पाटील	fmcl	10/09/24
05	चंद्रकांत पाटील	P.6	10/09/24
06	संगीत भाळेकर	P.6	10/09/24
07	प्रविण पाटील	P.5	10/09/24
08	Sachin Kharode	P.5	10/09/24

Signature of Trainer: 10/09/2024

Note* CRT- Class Room Training

OJT- On Job Training

ET- External Training

	Prepared By	Checked By	Approved By	Authorized By
Name	Pratik Koparkar	Jayashri Patil	Aniket Naik	P. J. Patel
Signature & Date	09/01/2024	09/01/2024	10/01/2024	10/01/2024
Designation	Officer	Executive	Sr. Executive	Sr. G.M. Quality
Department	Quality Assurance	Quality Assurance	Quality Assurance	Quality Assurance

Format No.: QA002/F/08-00

Controlled Copy

Issued by:

Sign:

Date:

02/09/2024

CHEMSPEC CHEMICALS PVT LTD.		MASTER COPY			
Title: Training Attendance Record					
Department : Quality Assurance					
Effective Date	20/01/2024	Review Date	19/01/2024	Page No.	1 of 1

Name of Trainer: Sadashiv S. Ada

Time duration: 11:30 to 13:30 hrs

Training Topic: Personal Protective Equipments

Date: 10/09/2024

Mode of Training: Written/ Verbal

Type of Training: (CRT/ OJT/ ET)

Sr. No.	Name of Trainees	Department	Sign/Date
9)	A. J. Mishra	P. G.	10/09/24
10)	SANTOSH PATEL	PAKAMM	10/09/24
11)	Harindya Joshi	P. G.	10/09/24
12)	Aushay Patel	P. G.	10/09/24
13)	921921 E/321	TCC	10/09/24
14)	Ankush Bhutia	P. G.	10/09/24
15)	Ashok. Sawan	P. G.	10/09/24
16)	N. K. Deasthi	P. G.	10/09/24

Signature of Trainer:

10/09/24

Note* CRT- Class Room Training

OJT- On Job Training

ET- External Training

	Prepared By	Checked By	Approved By	Authorized By
Name	Pratik Kapatkar	Jayashri Patil	Aniket. Naik	P. J. Patel
Signature & Date	09/10/2024	09/10/2024	10/10/2024	10/10/2024
Designation	Officer	Executive	Sr. Executive	Sr. G. M. Quality
Department	Quality Assurance	Quality Assurance	Quality Assurance	Quality Assurance

Format No.: QA002/F/08-00

Controlled Copy
 Issued by:
 Sign:
 Date: 02/10/2024

CHEMSPEC CHEMICALS PVT LTD.		MASTER COPY			
Title: Training Attendance Record					
Department : Quality Assurance					
Effective Date	20/01/2024	Review Date	19/01/2027	Page No.	1 of 1

Name of Trainer: Sadashiv S. Adagale Time duration: 11:30 to 13:30 hrs
 Training Topic: Personal Protective Equipment Date: 10/09/2024
 Mode of Training: ~~Written~~/ Verbal Type of Training: (CRT/ ~~Off~~/ ET)

Sr. No.	Name of Trainees	Department	Sign/Date
17)	Mangal Singh	P-G.	10/09/24
18)	A. R. Shinde	P-G	10/09/24
19)	नरेश शिंदे	AFC	10/09/24

Signature of Trainer: 10/09/2024

Note* CRT- Class Room Training
 OJT- On Job Training
 ET- External Training

	Prepared By	Checked By	Approved By	Authorized By
Name	Pratik Koparkar	Jayashri Patil	Aniket Naik	P. J. Patel
Signature & Date	09/10/2024	09/10/2024	10/10/2024	10/10/2024
Designation	Officer	Executive	Sr. Executive	Sr. G.M. Quality
Department	Quality Assurance	Quality Assurance	Quality Assurance	Quality Assurance

Format No.: QA002/F/08-00

Controlled Copy
 Issued by: 04/09/2024
 Sign:
 Date:

CHEMSPEC CHEMICALS PVT LTD.		MASTER COPY			
Title: Training Attendance Record					
Department : Quality Assurance					
Effective Date	20/01/2024	Review Date	19/01/2027	Page No.	1 of 1

Name of Trainer: Sadashiv S. Adagale

Time duration: 16:00 to 17:30 hrs

Training Topic: General Safety Awareness.

Date: 10/09/2024

Mode of Training: ~~Written~~/ Verbal

Type of Training: (CRT/ OJT/ ET)

Sr. No.	Name of Trainees	Department	Sign/Date
1.	Balagheb -K. Kadam	P.5	Kadam
2	Haresh. B. Dore	F.M.C.A	Haresh
3	Vishal .A. Patil	P.6	Patil
4	Shashivar .N. Patil	P. 6	S.N. Patil
5	Rushi Dake	T.C.C	Rushi
6	Jitendra Bagale	P. 6	Bagale
7	P.K. Patil	F.M.C.A	P.K.PATIL
8)	Dharmesh Kamble	F.M.C.A	Dharmesh

Signature of Trainer: 10/09/2024

Note* CRT- Class Room Training

OJT- On Job Training

ET- External Training

	Prepared By	Checked By	Approved By	Authorized By
Name	Pratik Koparkar	Jayashri Patil	Aniket Naik	P. J. Patil
Signature & Date	09/01/2024	09/01/2024	10/01/2024	10/01/2024
Designation	Officer	Executive	Sr. Executive	S.G.M. Quality
Department	Quality Assurance	Quality Assurance	Quality Assurance	Quality Assurance

Format No.: QA002/F/08-00


Controlled Copy

Issued by:

Sign:

Date:

10/09/2024

CHEMSPEC CHEMICALS PVT LTD.		MASTER COPY			
Title: Training Attendance Record					
Department : Quality Assurance					
Effective Date	20/01/2024	Review Date	19/01/2027	Page No.	1 of 1

Name of Trainer: Sadashiv S. Adagale









Time duration: 16:00 to 17:30 hrs

Training Topic: General Safety Awareness

Date: 10/09/2024

Mode of Training: Written/ Verbal

Type of Training: (CRT/ OJT/ ET)





Sr. No.	Name of Trainees	Department	Sign/Date
9	Chandrokent Madane	P-6	
10	Santosh Bodhe	P-6	
11	Sanjay Mali	P-6	
12	Vithal Patil	P-5	
13	Ravindra K. Mhame	P-6	
14	Hassan Shari	P-7	
15	K. P. Singh	P-5	
16	B. L. Patil	Pharmaceutical	

Signature of Trainer: 
10/09/2024



Note* CRT- Class Room Training

OJT- On Job Training

ET- External Training

	Prepared By	Checked By	Approved By	Authorized By
Name	Pratik Kopardkar	Jayashri Patil	Aniket Naik	P. J. Patil
Signature & Date	 09/09/2024	 09/09/2024	 10/09/2024	 10/09/2024
Designation	Officer	Executive	Sr. Executive	Sr. G.M. Quality
Department	Quality Assurance	Quality Assurance	Quality Assurance	Quality Assurance

Format No.: QA002/F/08-00

Controlled Copy
Issued by: 
Sign: 
Date: 02/09/2024

CHEMSPEC CHEMICALS PVT LTD.		MASTER COPY			
Title: Training Attendance Record					
Department : Quality Assurance					
Effective Date	20/01/2024	Review Date	19/01/2027	Page No.	1 of 1

Name of Trainer: Sadashiv S. Adalgale
 Training Topic: General safety Awareness
 Mode of Training: Written/ Verbal

Time duration: 16:00 to 17:30 hr
 Date: 10/09/2024
 Type of Training: (CRT/ OJT/ ET)

Sr. No.	Name of Trainees	Department	Sign/Date
17	D.M. Bhoir	PHARMA	
18	D.P. Mhatre	PHARMA	
19	N. Katheru	PG	
20	R N Teng	PHARMA	
NA			


Signature of Trainer:

Note* CRT- Class Room Training
 OJT- On Job Training
 ET- External Training

	Prepared By	Checked By	Approved By	Authorized By
Name	Pratik Koparkar	Jayashri Patil	Aniket Naik	P. J. Patel
Signature & Date				
Designation	Officer	Executive	Sr. Executive	Sr. G.M. Quality
Department	Quality Assurance	Quality Assurance	Quality Assurance	Quality Assurance

Format No.: QA002/F/08-00

Controlled Copy
 Issued by:
 Sign:
 Date: 02/09/2024

CHEMSPEC CHEMICALS PVT LTD.		MASTER COPY			
Title: Training Attendance Record					
Department : Quality Assurance					
Effective Date	20/01/2024	Review Date	19/01/2027	Page No.	1 of 1

Name of Trainer: Sandesh V S. Adagale









Time duration: 15:30 to 17:00 Hrs


Training Topic: On Site Emergency Preparedness plan

Date: 04/09/2024

Mode of Training: Written/ Verbal

Type of Training: (CRT/ OJT/ ET)





Sr. No.	Name of Trainees	Department	Sign/Date
1	V. D. Shelar	Production	 04/09/24
2	S. P. Subate	Engineering	 04/09/2024
3	Roshan m. Patil	EHS	 04/09/2024
4	Rakesh. S. Patil	EHS	 04/09/24
5	Amit Patil	production	 04/09/24
6	Samadhan Thakur	Engg & maint	 04/09/2024
7	Aditya c. Mokal	EHS	 04/09/2024
8	Parag Deshmukh	prod?	 04/09/24

Signature of Trainer: 
04/09/2024

Note* CRT- Class Room Training

OJT- On Job Training

ET- External Training

	Prepared By	Checked By	Approved By	Authorized By
Name	Pratik Koparkar	Jayashri Patil	Aniket Naik	P. J. Pehl
Signature & Date	 09/01/2024	 09/01/2024	 10/01/2024	 10/01/2024
Designation	Officer	Executive	Sr. Executive	Sr. G.M. Quality
Department	Quality Assurance	Quality Assurance	Quality Assurance	Quality Assurance


Format No.: QA002/F/08-00

Controlled Copy

Issued by:

Sign:

Date:


02/09/2024

CHEMSPEC CHEMICALS PVT LTD.		MASTER COPY			
Title: Training Attendance Record					
Department : Quality Assurance					
Effective Date	20/01/2024	Review Date	19/01/2027	Page No.	1 of 1

Name of Trainer: Sadashiv S. Adagale

Time duration: 15:30 to 17:00 Hrs

Training Topic: On Site Emergency Preparedness Plan

Date: 04/09/2024

Mode of Training: Written/ Verbal

Type of Training: (CRT/ OJT/ ET)

Sr. No.	Name of Trainees	Department	Sign/Date
9	Amit V. Agare	EHS	04/09/2024
10	Ankush S. Jadhav	EHS	04/09/2024
11	Pratul M. Patil	EHS	04/09/2024
12	Rujam D. Thange	EHS	04/09/2024
13	Akhay S. Basas	HR & Admin	04/09/2024
14	Ashish A. Khandagale	Production	04/09/2024
15	Rushikesh V. Mhatre	Maintenance	04/09/2024
16	Ananta Patil	Admin	04/09/2024

Signature of Trainer: 04/09/2024

Note* CRT- Class Room Training


OJT- On Job Training

ET- External Training

	Prepared By	Checked By	Approved By	Authorized By
Name	Pratik Koparkar	Jayashri Patil	Aniket Naik	P. J. Patil
Signature & Date	09/01/2024	09/01/2024	10/01/2024	10/01/2024
Designation	Officer	Executive	Sr. Executive	Sr. G.M. Quality
Department	Quality Assurance	Quality Assurance	Quality Assurance	Quality Assurance

Format No.: QA002/F/08-00

Controlled Copy
 Issued by: 04/09/2024
 Sign: 04/09/2024
 Date:

CHEMSPEC CHEMICALS PVT LTD.		MASTER COPY			
Title: Training Attendance Record					
Department : Quality Assurance					
Effective Date	20/01/2024	Review Date	19/01/2027	Page No.	1 of 1

Name of Trainer: Sadaswini S. Adalgate




Time duration: 15:30 to 17:00 hrs

Training Topic: On site emergency preparedness plan

Date: 04/09/2024





Mode of Training: Written/ Verbal

Type of Training: (CRT/ OJT/ ET)



Sr. No.	Name of Trainees	Department	Sign/Date
17	SAMBHATI DHAMAL	SECURITY	 04/09/2024
18	MOHD. RAFFEEQUE	SECURITY	 04/09/2024
19	RAHUL UDARE	maint	 04/09/2024

Signature of Trainer: 
04/09/2024

Note* CRT- Class Room Training
OJT- On Job Training
ET- External Training

	Prepared By	Checked By	Approved By	Authorized By
Name	Pratik Koparkar	Jayashri Patil	Aniket Naik	P. J. Patel
Signature & Date	 09/01/2024	 09/01/2024	 10/01/2024	 10/01/2024
Designation	Officer	Executive	Sr. Executive	Sr. G.M. Quality
Department	Quality Assurance	Quality Assurance	Quality Assurance	Quality Assurance

Format No.: QA002/F/08-00

Controlled Copy
Issued by: 
Sign: 
Date: 04/09/2024

CHEMSPEC CHEMICALS PVT LTD.		MASTER COPY			
Title: Training Attendance Record					
Department : Quality Assurance					
Effective Date	20/01/2024	Review Date	19/01/2024	Page No.	1 of 1

Name of Trainer: Sadashiv S. Adagale

Time duration: 10:00 to 11:00 hrs

Training Topic: General Safety Awareness

Date: 09/09/2024

Mode of Training: Written/ Verbal

Type of Training: (CRT/ OJT/ ET)

Sr. No.	Name of Trainees	Department	Sign/Date
1.	Subhash Sabale	Engineering	09/09/2024
2.	Nitesh N. Patekar	Production	09/09/2024
3.	Ashish A. Khandegale	Production	09/09/2024
4.	Rakesh S. Patil	ETTS	09/09/2024
NA			

Signature of Trainer: 09/09/2024

Note* CRT- Class Room Training

OJT- On Job Training

ET- External Training

	Prepared By	Checked By	Approved By	Authorized By
Name	Pratik Koparkar	Jayashri Patil	Aniket Naik	P. J. Pahl
Signature & Date	09/09/2024	09/09/2024	10/09/2024	10/09/2024
Designation	Officer	Executive	Sr. Executive	Sr. G.M. Quality
Department	Quality Assurance	Quality Assurance	Quality Assurance	Quality Assurance

Format No.: QA002/F/08-00

Controlled Copy	
Issued by:	
Sign:	
Date:	02/09/2024

CHEMSPEC CHEMICALS PVT LTD.		MASTER COPY		
Title: Training Attendance Record				
Department : Quality Assurance				
Effective Date	20/01/2024	Review Date	19/01/2027	Page No. 1 of 1

Name of Trainer: Sandashiv S. Adagale
 Training Topic: General Safety Awareness.
 Mode of Training: Written/ Verbal

Time duration: 12:30 to 13:30hrs
 Date: 09/09/2024
 Type of Training: (CRT/ OJT/ ET)

Sr. No.	Name of Trainees	Department	Sign/Date
1)	रघुनाथ पारील	F.M.C.G	09/09/2024
2)	संतोष पारील	Permpm	09/09/2024
3)	हमदिस जंबळे	F.M.C.G	09/09/2024
4)	संतोष वाधमारे	F.m.c.g	09/09/2024
5)	रोपेश ठाकूर	FMCG	09/09/24
6)	दशरथ हाडगे	FMCG	09/09/2024
7)	विजय ओतरे	Pharma.	09/09/2024
8)	वी.जी.पारील	Pharma.	09/09/2024

Signature of Trainer: 09/09/2024

Note* CRT- Class Room Training
 OJT- On Job Training
 ET- External Training

	Prepared By	Checked By	Approved By	Authorized By
Name	Pratik Koparkar	Jayashri Patil	Aniket Naik	P. J. Patel
Signature & Date	09/09/2024	09/09/2024	10/09/2024	10/09/2024
Designation	Officer	Executive	Sr. Executive	S.G.M. Quality
Department	Quality Assurance	Quality Assurance	Quality Assurance	Quality Assurance

Format No.: QA002/F/08-00

Controlled Copy
 Issued by: 09/09/2024
 Sign: 09/09/2024
 Date: 09/09/2024

Photographs of Fire Training on 15.05.2024



Ambit Triangle Safety

BASIC FIRE FIGHTING & ERT TRAINING

Certificate No. ATS/2024-25/FF/326

This is to Certify that MR. ASHOK MAHADEV SAWANT

Department PRODUCTION

Employee ID W0006 Circle TALOJA

Employee of CHEMSPEC CHEMICALS PVT. LTD. successfully participated in

Basic Fire Fighting Training Programme & Certificate Issued on 15.03.2025

Training Conducted by

Ambit

Triangle Safety

We train to Save Life's



This Certificate Is Valid For 1 Year

Chief Training Officer



Legkar

MR. S. S. KESKAR

Web: ambittrianglesafety.co.in | Email: ambittriangle@gmail.com

Head Office : First Floor, Sukh Niwas Complex, Near Railway Station, Thane W - 400601.

Ambit Triangle Safety

BASIC FIRE FIGHTING & ERT TRAINING

Certificate No **ATS/2024-25/FF/345**

This is to Certify that **MR. SADASHIV ADAGALE**

Department **EHS**

Employee ID **S-1614** Circle **TALAJA**

Employee of **CHEMSPEC CHEMICALS PVT. LTD.** successfully participated in

Basic Fire Fighting Training Programme & Certificate Issued on **15.03.2025**

Training Conducted by



This Certificate Is Valid For 1 Year

Chief Training Officer
Shreekar
MR. S.S. KESKAR

Web: ambittrianglesafety.co.in | Email: ambittriangle@gmail.com

Head Office : First Floor, Sukh Niwas Complex, Near Railway Station, Thane W - 400601.

Ambit Triangle Safety

BASIC FIRE FIGHTING & ERT TRAINING

Certificate No. **ATS/2024-25/FF/333**

This is to Certify that **MR. NARESH AGALAVE**

Department **FMCG**

Employee ID **49** Circle **TALAJA**

Employee of **CHEMSPEC CHEMICALS PVT. LTD.** successfully participated in

Basic Fire Fighting Training Programme & Certificate Issued on **15.03.2025**

Training Conducted by



This Certificate Is Valid For 1 Year

Chief Training Officer
Shrikrishna
MR. S.S. KESKAR

Web: ambittrianglesafety.co.in | Email: ambittriangle@gmail.com

Head Office : First Floor, Sukh Niwas Complex, Near Railway Station, Thane W - 400601.

Ambit Triangle Safety

BASIC FIRE FIGHTING & ERT TRAINING

Certificate No. **ATS/2024-25/FF/340**

This is to Certify that **MR. JITENDRA BAGALE**

Department **PRODUCTION**

Employee ID **83** Circle **TALAJA**

Employee of **CHEMSPEC CHEMICALS PVT. LTD.** successfully participated in

Basic Fire Fighting Training Programme & Certificate Issued on **15.03.2025**

Training Conducted by



This Certificate is Valid For 1 Year



Shekar
MR. S. S. KESKAR

Chief Training Officer

Web: ambittrianglesafety.co.in | Email: ambittriangle@gmail.com

Head Office : First Floor, Sukh Niwas Complex, Near Railway Station, Thane W - 400601.

Ambit Triangle Safety

BASIC FIRE FIGHTING & ERT TRAINING

Certificate No. **ATS/2024-25/FF/347**

This is to Certify that **MR. PRAKASH SHETE**

Department **EHS**

Employee ID **52125** Circle **TALAJA**

Employee of **CHEMSPEC CHEMICALS PR. LTD.** successfully participated in

Basic Fire Fighting Training Programme & Certificate Issued on **15.03.2025**

Training Conducted by



This Certificate Is Valid For 1 Year



Chief Training Officer

Prakash
MR. S.S. KESKAR

Web: ambittrianglesafety.co.in | Email: ambittriangle@gmail.com

Head Office : First Floor, Sukh Niwas Complex, Near Railway Station, Thane W - 400601.

Ambit Triangle Safety

BASIC FIRE FIGHTING & ERT TRAINING

Certificate No. **ATS/2024-25/FF/342**

This is to Certify that **MR. VASANT SHELAR**

Department **FMCG**

Employee ID **S-1254** Circle **THALOTA**

Employee of **CHEMSPEC CHEMICALS PT. LTD.** successfully participated in

Basic Fire Fighting Training Programme & Certificate Issued on **15.03.2025**

Training Conducted by



This Certificate Is Valid For 1 Year

Chief Training Officer



Shelkar

MR. S.S. KESKAR

Web: ambittrianglesafety.co.in | Email: ambittriangle@gmail.com

Head Office : First Floor, Sukh Niwas Complex, Near Railway Station, Thane W - 400601.

Ambit Triangle Safety

BASIC FIRE FIGHTING & ERT TRAINING

Certificate No. **ATS/2024-25/FF/343**

This is to Certify that **MR. LAXMAN JOSHI**

Department **OMC**

Employee ID **34** Circle **TALOJA**

Employee of **CHEMSPCC CHEMICALS PVT. LTD.** successfully participated in

Basic Fire Fighting Training Programme & Certificate Issued on **15.03.2025**

Training Conducted by



This Certificate Is Valid For 1 Year



Chief Training Officer

Keekar

MR. S.S. KESKAR

Web: ambittrianglesafety.co.in | Email: ambittriangle@gmail.com

Head Office : First Floor, Sukh Niwas Complex, Near Railway Station, Thane W - 400601.

Ambit Triangle Safety

BASIC FIRE FIGHTING & ERT TRAINING

Certificate No. **ATS/2024-25/FF/330**

This is to Certify that **MR. SANJAY DATTATRAY THALI**

Department **PRODUCTION**

Employee ID **W0084** Circle **TALOJA**

Employee of **CHEMSPEC CHEMICALS PVT. LTD.** successfully participated in

Basic Fire Fighting Training Programme & Certificate Issued on **15.03.2025**

Training Conducted by



This Certificate is Valid For 1 Year

Chief Training Officer



Blocked.
MR. B. S. KESKAR

Web: ambittrianglesafety.co.in | Email: ambittriangle@gmail.com

Head Office : First Floor, Sukh Niwas Complex, Near Railway Station, Thane W - 400601.

Ambit Triangle Safety

BASIC FIRE FIGHTING & ERT TRAINING

Certificate No. **ATS/2024-25/FF/344**

This is to Certify that **MR. BALRAM BHUIR**

Department **OPERATOR**

Employee ID **124** Circle **TALOJA**

Employee of **CHEMSPEC CHEMICALS PVT. LTD.** successfully participated in

Basic Fire Fighting Training Programme & Certificate Issued on **15.03.2025**

Training Conducted by



We train to Save Life's



This Certificate is Valid For 1 Year

Chief Training Officer



Shreekar
MR. S.S. KESKAR

Web: ambittrianglesafety.co.in | Email: ambittriangle@gmail.com

Head Office : First Floor, Sukh Niwas Complex, Near Railway Station, Thane W - 400601.

Ambit Triangle Safety

BASIC FIRE FIGHTING & ERT TRAINING

Certificate No. **ATS/2024-25/FF/334**

This is to Certify that **MR. PRANESH VAJANTH POWALE**

Department **PRODUCTION**

Employee ID **W0116** Circle **TALOJA**

Employee of **CHEMSECC CHEMICALS PVT. LTD.** successfully participated in

Basic Fire Fighting Training Programme & Certificate Issued on **15.03.2025**

Training Conducted by



This Certificate is Valid For 1 Year

Chief Training Officer


MR. S. S. KESKAR

Web: ambittrianglesafety.co.in | Email: ambittriangle@gmail.com

Head Office : First Floor, Sukh Niwas Complex, Near Railway Station, Thane W - 400601.

Ambit Triangle Safety

BASIC FIRE FIGHTING & ERT TRAINING

Certificate No. **ATS/2024-25/FF/337**

This is to Certify that **MR. NAVNATH GAJANAN BHOPJ**

Department **PRODUCTION**

Employee ID **W0126** Circle **TALOJA**

Employee of **CHEMSPAC CHEMICALS PVT. LTD.** successfully participated in

Basic Fire Fighting Training Programme & Certificate Issued on **15.03.2025**

Training Conducted by



This Certificate is Valid For 1 Year

Chief Training Officer


MR. S.S. KESKAR

Web: ambittrianglesafety.co.in | Email: ambittriangle@gmail.com

Head Office : First Floor, Sukh Niwas Complex, Near Railway Station, Thane W - 400601.

Ambit Triangle Safety

BASIC FIRE FIGHTING & ERT TRAINING

Certificate No. ATS/2024-25/FF/321

This is to Certify that MR. ANKUSH SHANKAR JADHAV

Department ETP

Employee ID 51858 Circle TALOJA

Employee of CHEMSPEC CHEMICALS PVT. LTD. successfully participated in

Basic Fire Fighting Training Programme & Certificate Issued on 15.03.2025

Training Conducted by



We train to Save Lives

This Certificate is Valid For 1 Year



MR. S.S. KESKAR

S.S. KESKAR

Chief Training Officer

Web: ambittrianglesafety.co.in | Email: ambittriangle@gmail.com

Head Office : First Floor, Sukh Niwas Complex, Near Railway Station, Thane W - 400601.

Ambit Triangle Safety

BASIC FIRE FIGHTING & ERT TRAINING

Certificate No. **ATS/2024-25/FF/ 320**

This is to Certify that **MR. VISHAL YADAV KATHARA**

Department **R & D**

Employee ID **51355** Circle **TALOJA**

Employee of **CHEMSPEC CHEMICALS PVT. LTD.** successfully participated in

Basic Fire Fighting Training Programme & Certificate Issued on **15.03.2025**

Training Conducted by



This Certificate Is Valid For 1 Year

Chief Training Officer

desai
MRS. S. KESKAR

Web: ambittrianglesafety.co.in | Email: ambittriangle@gmail.com

Head Office : First Floor, Sukh Niwas Complex, Near Railway Station, Thane W - 400601.

Ambit Triangle Safety

BASIC FIRE FIGHTING & ERT TRAINING

Certificate No. **ATS/2024-25/FF/319**

This is to Certify that **MR. SHARAD BHANUDAS KAMBLE**

Department **R & D**

Employee ID **51298** Circle **TALAJA**

Employee of **CHEMSPEC CHEMICALS PVT. LTD.** successfully participated in

Basic Fire Fighting Training Programme & Certificate Issued on **15.03.2025**

Training Conducted by



This Certificate Is Valid For 1 Year

Chief Training Officer



MR. S.S. KESKAR

[Signature]

Web: ambittrianglesafety.co.in | Email: ambittriangle@gmail.com

Head Office : First Floor, Sukh Niwas Complex, Near Railway Station, Thane W - 400601.

Ambit Triangle Safety

BASIC FIRE FIGHTING & ERT TRAINING

Certificate No. **ATS/2024-25/FF/338**

This is to Certify that **MR. AJIT KANA KATHARA**

Department **PRODUCTION**

Employee ID **W0168** Circle **TALAJA**

Employee of **CHEMSPEC CHEMICALS PVT. LTD.** successfully participated in

Basic Fire Fighting Training Programme & Certificate Issued on **15.03.2025**

Training Conducted by



This Certificate Is Valid For 1 Year

Chief Training Officer



Shreekant
MR. S. S. KESKAR

Web: ambittrianglesafety.co.in | Email: ambittriangle@gmail.com

Head Office : First Floor, Sukh Niwas Complex, Near Railway Station, Thane W - 400601.

Ambit Triangle Safety

BASIC FIRE FIGHTING & ERT TRAINING

Certificate No. **ATS/2024-25/FF/331**

This is to Certify that **MR. PRAVIN VANRAJ PATIL**

Department **PRODUCTION**

Employee ID **W0101** Circle **TALOJA**

Employee of **CHEMSPEC CHEMICALS PVT. LTD.** successfully participated in

Basic Fire Fighting Training Programme & Certificate Issued on **15.03.2025**

Training Conducted by



This Certificate Is Valid For 1 Year



Deetap
MR. S.S. KESKAR

Chief Training Officer

Web: ambittrianglesafety.co.in | Email: ambittriangle@gmail.com

Head Office : First Floor, Sukh Niwas Complex, Near Railway Station, Thane W - 400601.

Ambit Triangle Safety

BASIC FIRE FIGHTING & ERT TRAINING

Certificate No. **ATS/2024-25/FF/333**

This is to Certify that **MR. AVADHESH BABURAM RAJBHAR**

Department **PRODUCTION**

Employee ID **W0145** Circle **TALOJA**

Employee of **CHEMSPEC CHEMICALS PVT. LTD.** successfully participated in

Basic Fire Fighting Training Programme & Certificate Issued on **15.03.2025**

Training Conducted by



This Certificate Is Valid For 1 Year

Chief Training Officer

Shrikrishna

MR. S.S. KESKAR



Web: ambittrianglesafety.co.in | Email: ambittriangle@gmail.com

Head Office : First Floor, Sukh Niwas Complex, Near Railway Station, Thane W - 400601.

Ambit Triangle Safety

BASIC FIRE FIGHTING & ERT TRAINING

Certificate No. **ATS/2024-25/FF/335**

This is to Certify that **MR. VINAYAK NANA SURYA WANSHE**

Department **PRODUCTION**

Employee ID **W0122** Circle **TALOTA**

Employee of **CHEMSPEC CHEMICALS PVT. LTD.** successfully participated in

Basic Fire Fighting Training Programme & Certificate Issued on **15.03.2025**

Training Conducted by



This Certificate Is Valid For 1 Year



Mr. S.S. KESKAR

Chief Training Officer

Web: ambittrianglesafety.co.in | Email: ambittriangle@gmail.com

Head Office : First Floor, Sukh Niwas Complex, Near Railway Station, Thane W - 400601.

Ambit Triangle Safety

BASIC FIRE FIGHTING & ERT TRAINING

Certificate No. **ATS/2024-25/FF/328**

This is to Certify that **MR. Mohan Janu Bhoir**

Department **PRODUCTION**

Employee ID **W0044** Circle **TALAJA**

Employee of **CHEMSPEC CHEMICALS Pvt. LTD.** successfully participated in

Basic Fire Fighting Training Programme & Certificate Issued on **15.03.2025**

Training Conducted by



This Certificate Is Valid For 1 Year



Chief Training Officer

Shrikrishna
MR. S.S. KESKAR

Web: ambittrianglesafety.co.in | Email: ambittriangle@gmail.com

Head Office : First Floor, Sukh Niwas Complex, Near Railway Station, Thane W - 400601.

Ambit Triangle Safety

BASIC FIRE FIGHTING & ERT TRAINING

Certificate No. **ATS/2024-25/FF/336**

This is to Certify that **MR. SUNIL RAMCHANDRA SHINDE**

Department **MAINTENANCE**

Employee ID **W0125** Circle **TALAJA**

Employee of **CHEMSPEC CHEMICALS PVT. LTD.** successfully participated in

Basic Fire Fighting Training Programme & Certificate Issued on **15.03.2025**

Training Conducted by



This Certificate is Valid For 1 Year

Chief Training Officer



Shinde
MR. S.S. KESKAR

Web: ambittrianglesafety.co.in | Email: ambittriangle@gmail.com

Head Office : First Floor, Sukh Niwas Complex, Near Railway Station, Thane W - 400601.

Ambit Triangle Safety

BASIC FIRE FIGHTING & ERT TRAINING

Certificate No. **ATS/2024-25/FF/329**

This is to Certify that **MR. MAHENDRA GAJANAN GAIKWAD**

Department **PRODUCTION**

Employee ID **W0064** Circle **TALOTA**

Employee of **CHEMSPEC CHEMICALS PVT. LTD.** successfully participated in

Basic Fire Fighting Training Programme & Certificate Issued on **15.03.2025**

Training Conducted by



This Certificate is Valid For 1 Year

Chief Training Officer



Beekar
MR. S.S. KESKAR

Web: ambittrianglesafety.co.in | Email: ambittriangle@gmail.com

Head Office : First Floor, Sukh Niwas Complex, Near Railway Station, Thane W - 400601.

Ambit Triangle Safety

BASIC FIRE FIGHTING & ERT TRAINING

Certificate No. **ATS/2024-25/FF/332**

This is to Certify that **MR. KIRAN MADHOKAR MUKADAM**

Department **MAINTENANCE**

Employee ID **W0109** Circle **TALOJA**

Employee of **CHEMSPEC CHEMICALS PVT. LTD.** successfully participated in

Basic Fire Fighting Training Programme & Certificate Issued on **15.03.2025**

Training Conducted by



This Certificate Is Valid For 1 Year

Chief Training Officer



Signature

MR. SS. KESKAR

Web: ambittrianglesafety.co.in | Email: ambittriangle@gmail.com

Head Office : First Floor, Sukh Niwas Complex, Near Railway Station, Thane W - 400601.

Ambit Triangle Safety

BASIC FIRE FIGHTING & ERT TRAINING

Certificate No. **ATS/2024-25/FF/341**

This is to Certify that **MR. SANTOSH GHARAT**

Department **MAINTENANCE**

Employee ID **13** Circle **TALOJA**

Employee of **CHEMSPEC CHEMICALS PT. LTD.** successfully participated in

Basic Fire Fighting Training Programme & Certificate Issued on **15.03.2025**

Training Conducted by



This Certificate Is Valid For 1 Year



Chief Training Officer

S. S. Keskar

MR. S.S. KESKAR

Web: ambittrianglesafety.co.in | Email: ambittriangle@gmail.com

Head Office : First Floor, Sukh Niwas Complex, Near Railway Station, Thane W - 400601.

Ambit Triangle Safety

BASIC FIRE FIGHTING & ERT TRAINING

Certificate No. **ATS/2024-25/FF/327**

This is to Certify that **MR. ANKUSH NARAYAN BHOIR**

Department **PRODUCTION**

Employee ID **W0031** Circle **TALAJA**

Employee of **CHEMSPEC CHEMICALS PVT. LTD.** successfully participated in

Basic Fire Fighting Training Programme & Certificate Issued on **15.03.2025**

Training Conducted by



This Certificate Is Valid For 1 Year



keskar.
MR. S.S. KESKAR

Chief Training Officer

Web: ambittrianglesafety.co.in | Email: ambittriangle@gmail.com

Head Office : First Floor, Sukh Niwas Complex, Near Railway Station, Thane W - 400601.

Ambit Triangle Safety

BASIC FIRE FIGHTING & ERT TRAINING

Certificate No. **ATS/2024-25/FF/ 323**

This is to Certify that **MR. ADITYA CHANDRAKANT MOKAL**

Department **HSE**

Employee ID **52060** Circle **TALOJA**

Employee of **CHEMSPEC CHEMICALS PVT. LTD.** successfully participated in

Basic Fire Fighting Training Programme & Certificate Issued on **15.03.2025**

Training Conducted by



This Certificate Is Valid For 1 Year

Chief Training Officer



Shreekar
MR. S.S. KES KARR

Web: ambittrianglesafety.co.in | Email: ambittriangle@gmail.com

Head Office : First Floor, Sukh Niwas Complex, Near Railway Station, Thane W - 400601.

Ambit Triangle Safety

BASIC FIRE FIGHTING & ERT TRAINING

Certificate No. **ATS/2024-25/FF/ 324**

This is to Certify that **MR. AMIT VIJAY AGAR**

Department **ETP**

Employee ID **52124** Circle **TALOJA**

Employee of **CHEMSPEC CHEMICALS PVT. LTD.** successfully participated in

Basic Fire Fighting Training Programme & Certificate Issued on **15.03.2025**

Training Conducted by



This Certificate Is Valid For 1 Year



MR. S.S. KESKAR

deskar.

Chief Training Officer

Web: ambittrianglesafety.co.in | Email: ambittriangle@gmail.com

Head Office : First Floor, Sukh Niwas Complex, Near Railway Station, Thane W - 400601.

Ambit Triangle Safety

BASIC FIRE FIGHTING & ERT TRAINING

Certificate No. **ATS/2024-25/FF/322**

This is to Certify that **MR. RAKESH SUNIL PATIL**

Department **HSE**

Employee ID **S2045** Circle **TALAJA**

Employee of **CHEMSPEC CHEMICALS PVT. LTD.** successfully participated in

Basic Fire Fighting Training Programme & Certificate Issued on **15.03.2025**

Training Conducted by



This Certificate Is Valid For 1 Year

Chief Training Officer



Signature
MR. S.S. KESKAR

Web: ambittrianglesafety.co.in | Email: ambittriangle@gmail.com

Head Office : First Floor, Sukh Niwas Complex, Near Railway Station, Thane W - 400601.

Ambit Triangle Safety

BASIC FIRE FIGHTING & ERT TRAINING

Certificate No. **ATS/2024-25/FF/346**

This is to Certify that **MR. HARSHAD PATIL**

Department **Q.C.**

Employee ID **S-2258** Circle **TALOJA**

Employee of **CHEMSPEC CHEMICALS RT. LTD.** successfully participated in

Basic Fire Fighting Training Programme & Certificate Issued on **15.03.2025**

Training Conducted by



This Certificate Is Valid For 1 Year



Chief Training Officer
Shrikrishna
MR. S.S. KESKAR

Web: ambittrianglesafety.co.in | Email: ambittriangle@gmail.com

Head Office : First Floor, Sukh Niwas Complex, Near Railway Station, Thane W - 400601.

Ambit Triangle Safety

BASIC FIRE FIGHTING & ERT TRAINING

Certificate No. **ATS/2024-25/FF/ 343**

This is to Certify that **Ms. Mohini Vijay Tadhar**

Department **HR-IR**

Employee ID **S2160** Circle **Taleja**

Employee of **Chempe Chemicals Pvt. Ltd.** successfully participated in

Basic Fire Fighting Training Programme & Certificate Issued on **15.03.2025**

Training Conducted by



This Certificate is Valid For 1 Year



Chief Training Officer

Deepak

Mr. S.S. Keskar

Web: ambittrianglesafety.co.in | Email: ambittriangle@gmail.com

Head Office : First Floor, Sukh Niwas Complex, Near Railway Station, Thane W - 400601.

**SHREEJI AQUA TREATMENT PVT. LTD.**

Innovative Environmental Solutions Under One Roof

Accredited by NABL as per ISO/IEC 17025:2017

Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018

Recognized by Ministry of Environment, Forest & Climate Change (MoEFCC), Govt. of India, New Delhi

• ENVIRONMENT • FOOD • ANIMAL FOOD & FEED • MICROBIOLOGY

TEST REPORT

Lab Inward No. : SL/24-25/11/MNM/187

Date of Sampling : 29/11/2024

Client Name :

M/s. Chemspec Chemical Pvt. Ltd.

Plot no.3- C & 3B -1 MIDC, Panvel Road Talaja, Dist.-

Raigad. Maharashtra-410208.

Start of analysis : 29/11/2024

End of Analysis : 29/11/2024

Report Date : 04/12/2024

Sample Drawn By : SATPL Team on 29/11/2024

Order / Reference: As per PO NO.SP-2425-126 dated 26.07.2024 & TRF Dated 29/11/2024

Monitoring For : DG Source Noise Monitoring

Sampling Procedure: As Per CPCB Guidelines

Limits : As Per MPCB Consent, Insertion Loss Should Be Minimum as 25dB (A)

Sr. No.	Locations	Noise Level Readings in dB (A)					Average	Insertion Loss
		1	2	3	4	5		
1	Inside D.G. Set 750 KVA -I (D.G. 'ON' condition)	102.5	100.1	101.5	102.3	100.1	101.3	26.22
	Outside D.G. Set 750 KVA -I (D.G. 'ON' condition)	75.2	74.8	77.3	72.8	75.3	75.08	
	Inside D.G. Set 750 KVA -II (D.G. 'ON' condition)	100.2	103.5	100.2	102.5	101.2	101.52	26.56
	Outside D.G. Set 750 KVA -II (D.G. 'ON' condition)	73.9	76.2	74.8	75.2	74.7	74.96	

Lateral Distance -0.5 meters from acoustic enclosure.

Remark: Reference to above mentioned monitoring report is within the limits.

Disclaimer: Information supplied by customers represented in italic font

Review By

For Shreeji Aqua Treatment Pvt. Ltd.

Sr. Analyst



(Signature)
Quality Manager
Authorized Signatory

—End of Test Report—

The results relate to sample tested.

Page 1 of 1

OK
B
13/01/2025



|| Shreeji ||

SHREEJI AQUA TREATMENT PVT. LTD.

Innovative Environmental Solutions Under One Roof

Accredited by NABL as per ISO/IEC 17025:2017

Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018

Recognized by Ministry of Environment, Forest & Climate Change (MoEFCC), Govt. of India, New Delhi

• ENVIRONMENT • FOOD • ANIMAL FOOD & FEED • MICROBIOLOGY



TC-13877

ULR No: TC138772400011204F

TEST REPORT

Lab Inward No. : SL/24-25/11/MNM/178	Date of Sampling : 29-30/11/2024
Client Name : M/s. Chemspec. Chemical Pvt. Ltd.	Start of Analysis : 29/11/2024
Plot no.3- C & 3B -1 MIDC, Panvel Road Talaja, Dist.- Raigad, Maharashtra-410208.	End of Analysis : 30/11/2024
	Report Date : 04/12/2024
	Sample Drawn By : SATPL Team on 29-30/11/2024
Order / Reference: As per PO NO.SP-2425-126 dated 26.07.2024 & TRF Dated 30/11/2024	Location : Boiler Area
Sampling Procedure : As Per CPCB Guideline	Sampling Duration: 24 hrs.

RESULTS

Sr.No.	TIME (Hrs.)	RESULT	LIMIT	Method
1	06:00 am	48.9	For industrial Area, Limit during Day Time < 75 dB (A) & Limit during Night Time < 70 dB (A)	IS 9989:1981 RA 2001
2	07:00 am	49.3		
3	08:00 am	52.6		
4	09:00 am	55.4		
5	10:00 am	57.8		
6	11:00 am	62.3		
7	12:00 pm	60.1		
8	13:00 pm	62.7		
9	14:00 pm	61.3		
10	15:00 pm	60.6		
11	16:00 pm	63.1		
12	17:00 pm	61.8		
13	18:00 pm	62.7		
14	19:00 pm	60.3		
15	20:00 pm	59.5		
16	21:00 pm	62.4		
17	22:00 pm	60.8		
18	23:00 pm	57.4		
19	00:00 am	53.6		
20	01:00 am	55.8		
21	02:00 am	47.6		
22	03:00 am	49.4		
23	04:00 am	46.2		
24	05:00 am	47.9		
		Average	Day time=58.92 dB(A)	Night time=51.11 dB(A)

REMARK: As per above mentioned report Boiler Area meets with the limit of noise standards.

Disclaimer: 'Information supplied by customers represented in italic font'

Review By,

Sr. Analyst



—End of Test Report—

This report cannot be reproduced in parts. The results relate to sample tested.

For Shreeji Aqua Treatment Pvt. Ltd.

Quality Manager
Authorized Signatory

Page 1 of 1

OK
13/01/2025



|| Shreeji ||

SHREEJI AQUA TREATMENT PVT. LTD.

Innovative Environmental Solutions Under One Roof

Accredited by NABL as per ISO/IEC 17025:2017

Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018

Recognized by Ministry of Environment, Forest & Climate Change (MoEFCC), Govt. of India, New Delhi

• ENVIRONMENT • FOOD • ANIMAL FOOD & FEED • MICROBIOLOGY



TC-13877

ULR No: TC138772400011203F

TEST REPORT	
Lab Inward No. : SL/24-25/11/MNM/177	Date of Sampling : 29-30/11/2024
Client Name :	Start of Analysis : 29/11/2024
M/s. Chemspec. Chemical Pvt. Ltd.	End of Analysis : 30/11/2024
Plot no.3- C & 3B -1 MIDC, Panvel Road Talaja, Dist.- Raigad, Maharashtra-410208.	Report Date : 04/12/2024
	Sample Drawn By : SATPL Team on 29-30/11/2024
Order / Reference: As per PO NO.5P-2425-126 dated 26.07.2024 & TRF Dated : 30/11/2024	Location : Main Gate
Sampling Procedure : As Per CPCB Guideline	Sampling Duration: 24 hrs.

RESULTS				
Sr.No.	TIME (Hrs.)	RESULT	LIMIT	Method
1	06:00 am	45.8	For Industrial Area, Limit during Day Time < 75 dB (A) & Limit during Night Time < 70 dB (A)	IS 9989:1981 IFA 2001
2	07:00 am	48.2		
3	08:00 am	52.5		
4	09:00 am	55.8		
5	10:00 am	59.2		
6	11:00 am	62.6		
7	12:00 pm	61.3		
8	13:00 pm	60.8		
9	14:00 pm	63.2		
10	15:00 pm	60.9		
11	16:00 pm	62.4		
12	17:00 pm	60.7		
13	18:00 pm	63.2		
14	19:00 pm	60.6		
15	20:00 pm	58.9		
16	21:00 pm	61.7		
17	22:00 pm	56.3		
18	23:00 pm	52.8		
19	00:00 am	50.4		
20	01:00 am	47.2		
21	02:00 am	49.6		
22	03:00 am	45.5		
23	04:00 am	47.2		
24	05:00 am	49.0		
		Average	Day time=58.48 dB(A)	Night time=48.81 dB(A)

REMARK: As per above mentioned report Main Gate meets with the limit of noise standards.

Disclaimer: 'Information supplied by customers represented in italic font'

Review By,

Sr. Analyst



For Shreeji Aqua Treatment Pvt. Ltd.

Quality Manager
Authorized Signatory

—End of Test Report—

This report cannot be reproduced in parts. The results relate to sample tested.

Page 1 of 1

OK
13/11/2025

**SHREEJI AQUA TREATMENT PVT. LTD.**

Innovative Environmental Solutions Under One Roof

Accredited by NABL as per ISO/IEC 17025:2017

Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018

Recognized by Ministry of Environment, Forest & Climate Change (MoEFCC), Govt. of India, New Delhi

• ENVIRONMENT • FOOD • ANIMAL FOOD & FEED • MICROBIOLOGY

TEST REPORT

Lab Inward No. : SL/24-25/03/MNM/133M

Date of Sampling : 26/03/2025

Client Name :

Start of analysis : 26/03/2025

M/s. Chemspec Chemical Pvt. Ltd.

End of Analysis : 26/03/2025

Plot no.3- C & 3B -1 MIDC, Panvel Road Talaja, Dist.-

Report Date : 31/03/2025

Raigad. Maharashtra-410208.

Sample Drawn By : SATPL Team on 26/03/2025

Order / Reference: As per PO NO.SP-2425-126 dated 26.07.2024 & TRF Dated 26/03/2025

Monitoring For : DG Source Noise Monitoring

Sampling Procedure: As Per CPCB Guidelines

Limits : As Per MPCB Consent, Insertion Loss Should Be Minimum as 25dB (A)

Sr. No.	Locations	Noise Level Readings in dB (A)					Average	Insertion Loss
		1	2	3	4	5		
1	Inside D.G. Set 750 KVA -I (D.G. 'ON' condition)	102.2	99.9	102.2	101.6	101.2	101.42	26.16
	Outside D.G. Set 750 KVA -I (D.G. 'ON' condition)	75.4	75.1	76.1	74.6	75.1	75.26	
	Inside D.G. Set 750 KVA -II (D.G. 'ON' condition)	101.2	102.4	101.3	102.3	101.5	101.74	26.86
	Outside D.G. Set 750 KVA -II (D.G. 'ON' condition)	74.4	75.4	74.775.3	74.6	74.88		

Lateral Distance -0.5 meters from acoustic enclosure.

Remark: Reference to above mentioned monitoring report is within the limits.

Disclaimer: 'Information supplied by customers represented in italic font'



For Shreeji Aqua Treatment Pvt. Ltd.

SJM
Managing Director
Authorized Signatory

—End of Test Report—

The results relate to sample tested.

Page 1 of 1

OK
26/03/2025



|| Shreeji ||

SHREEJI AQUA TREATMENT PVT. LTD.

Innovative Environmental Solutions Under One Roof

Accredited by NABL as per ISO/IEC 17025:2017

Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018

Recognized by Ministry of Environment, Forest & Climate Change (MoEFCC), Govt. of India, New Delhi

• ENVIRONMENT • FOOD • ANIMAL FOOD & FEED • MICROBIOLOGY



TC-13877

ULR No: TC138772500013635F

TEST REPORT

Lab Inward No. : SI/24-25/03/MNM/133C	Date of Sampling : 25-29/03/2025
Client Name :	Start of Analysis : 25/03/2025
M/s. Chemspec. Chemical Pvt. Ltd.	End of Analysis : 26/03/2025
Plot no.3- C & 3B -1 MIDC, Panvel Road Talaja, Dist.- Raigad, Maharashtra-410208.	Report Date : 31/03/2025
	Sample Drawn By : SATPL Team on 25-26/03/2025
Order / Reference: As per PO NO.SP-2425-126 dated 26.07.2024 & TRF Dated 26/03/2025	Location : Main Gate
Sampling Procedure : As Per CPCB Guideline	Sampling Duration: 24 hrs.

RESULTS

Sr.No.	TIME (Hrs.)	RESULT	LIMIT	Method
1	06:00 am	47.9	For Industrial Area, Limit during Day Time < 75 dB (A) & Limit during Night Time < 70 dB (A)	IS 9989:1981 RA 2001
2	07:00 am	46.1		
3	08:00 am	48.7		
4	09:00 am	45.4		
5	10:00 am	48.7		
6	11:00 am	46.5		
7	12:00 pm	49.1		
8	13:00 pm	48.6		
9	14:00 pm	47.5		
10	15:00 pm	49.7		
11	16:00 pm	49.3		
12	17:00 pm	48.5		
13	18:00 pm	48.2		
14	19:00 pm	49.3		
15	20:00 pm	49.4		
16	21:00 pm	47.9		
17	22:00 pm	43.9		
18	23:00 pm	42.9		
19	00:00 am	44.3		
20	01:00 am	43.3		
21	02:00 am	42.1		
22	03:00 am	43.8		
23	04:00 am	43.5		
24	05:00 am	44.3		
		Average	Day time=47.92dB(A)	Night time=43.15dB(A)

REMARK: As per above mentioned report Main Gate meets with the limit of noise standards.

Disclaimer: Information supplied by customers represented in italic font



—End of Test Report—

For Shreeji Aqua Treatment Pvt. Ltd.

SJM
Managing Director
Authorized Signatory

OK
28/03/2025

This report cannot be reproduced in parts. The results relate to sample tested.

Page 1 of 1



|| Shreeji ||

SHREEJI AQUA TREATMENT PVT. LTD.

Innovative Environmental Solutions Under One Roof

Accredited by NABL as per ISO/IEC 17025:2017

Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018

Recognized by Ministry of Environment, Forest & Climate Change (MoEFCC), Govt. of India, New Delhi

• ENVIRONMENT • FOOD • ANIMAL FOOD & FEED • MICROBIOLOGY



TC-13877

ULR No: TC138772500013636F

TEST REPORT

Lab Inward No. : 51/24-25/03/MNM/133D	Date of Sampling : 25-29/03/2025
Client Name : M/s. Chemspec. Chemical Pvt. Ltd. Plot no.3- C & 3B -1 MIDC, Panvel Road Talaja, Dist.- Raigad, Maharashtra-410208.	Start of Analysis : 25/03/2025 End of Analysis : 26/03/2025 Report Date : 31/03/2025 Sample Drawn By : SATPL Team on 25-26/03/2025
Order / Reference: As per PO NO.SP-2425-126 dated 26.07.2024 & TRF Dated 26/03/2025	Location : Boiler Area
Sampling Procedure : As Per CPCB Guideline	Sampling Duration: 24 hrs.

RESULTS

Sr.No.	TIME (Hrs.)	RESULT	LIMIT	Method
1	06:00 am	47.1	For Industrial Area, Limit during Day Time < 75 dB (A) & Limit during Night Time < 70 dB (A)	IS 9989:1981 RA 2001
2	07:00 am	46.9		
3	08:00 am	48.7		
4	09:00 am	45.7		
5	10:00 am	48.4		
6	11:00 am	46.5		
7	12:00 pm	49.1		
8	13:00 pm	47.5		
9	14:00 pm	40.6		
10	15:00 pm	43.9		
11	16:00 pm	47.9		
12	17:00 pm	49.4		
13	18:00 pm	49.2		
14	19:00 pm	48.2		
15	20:00 pm	48.5		
16	21:00 pm	49.3		
17	22:00 pm	49.7		
18	23:00 pm	43.7		
19	00:00 am	44.1		
20	01:00 am	43.3		
21	02:00 am	42.9		
22	03:00 am	42.5		
23	04:00 am	44.5		
24	05:00 am	43.5		
		Average	Day time=47.92dB(A)	Night time=43.50dB(A)

REMARK: As per above mentioned report Boiler Area meets with the limit of noise standards.

Disclaimer: 'Information supplied by customers represented in italic font'



—End of Test Report—

For Shreeji Aqua Treatment Pvt. Ltd.

SJM
Managing Director
Authorized Signatory

This report cannot be reproduced in parts. The results relate to sample tested.

Page 1 of 1

OK
30
01/04/2025

Pune: Plot No. B-24, H Block, Lal Topi Nagar, Morewadi, MIDC, Fimpri-Chinchwad, Maharashtra 411018.

Lab: 1&4, Shreeji Terrace Apt. Plot No. 53, Purna Nagar, Chikhali, Pune: 411019

Vadodara: Plot No.1, Shah Ind. Park-1, Vadodara-Savli, Lamsdagura. 391 775 Dist. Vadodra

Customer Care No.: +919225247365 Email: info@shreejaqua.com Web: www.shreejaqua.com



- Rain Water Harvesting system.


TERRACE FLOOR

1ST. FLOOR

GR. FLOOR

RAIN WATER
COLLECTION TANK

RO WATER
COLLECTION TANK

0	PRELIMANRY DRAWING.	SYS	SA	RH	28.01.2022
REV. NO.	DESCRIPTION	DRN.	CHD.	APPD.	DATE
REVISIONS					
 CHEMSPEC CHEMICALS LIMITED. <i>Chemistry with care</i>	TITLE :- RAIN WATER COLLECTON DIAGRAM	DRN	SYS		
		CHD	SA		
		APP	RH		
	PROJECT:- SPECIALITY CHEMICALS		PROJECT NO:-		
	CLIENT:- CHEMSPEC CHEMICAL PVT.LTD		LOCATION :- TALOJA		
	DRG. NO.		SHEET NO.	SCALE	REVISION
	CCL/ROW/001		1 OF 1	NTS	



- Separate drain system for Storm water.



- Separate drain system for effluent.



- The green belt area is 1400sq.m. which is 9.89% of the total plot area i.e. 14155.05sq.m. The green belt will be maintained as per CPCB guideline and in consultation with the local DFOI, Agriculture department.

Fire Safety Equipment Installations.



- Control Panel of Smoke detector



- Control Panel of Manual Call Point (MCP)

Fire Safety Equipment Installations.



- Manual Call Point and Emergency Siren Switch



- Fire Hydrant Valve and Fire Brigade Inlet Valve

Fire Safety Equipment Installations.



- Foam Bladder Tank System (Capacity- 800 Ltr)



- Foam Combat Trolley (Capacity- 200 Ltr)

Fire Safety Equipment Installations.



- Smoke detector system



- Siren System.

Fire Safety Equipment Installations.



- Manual Call Point (MCP & Hooter)



- Portable Fire Extinguishers.

Mumbai Waste Management Ltd.

Certificate

— of Membership —

M.s.- Chemspec Chemicals Pvt. Ltd.

is a registered member of
CHW-TSDF at MIDC –Taloja for
safe and secure disposal of
Hazardous waste with

Membership No: MWML – HZW – TAL – 932

Certificate No: 3602-722

This Certificate is valid up to: 31st MARCH 2026



Onkar Kulkarni
Manager – MBD




Somnath Malgar
Director

CHEMSPEC CHEMICALS PVT LTD

3C & 3B-1, MIDC, Taloja, Taluka – Panvel, District – Raigad, Maharashtra 410 208

Environment cell organogram



CHEMSPEC CHEMICALS PVT LTD
3C & 3B-1, MIDC, Taloja, Taluka- Panvel, District Raigad, Maharashtra-410 208

Year - wise capital expenditure and recurring expenditure allocation for the environmental protection measures

Sr. No	Component	Year wise allocation in Rs. lakhs for the capital cost of Environmental Management Plan (EMP)					Year wise allocation in Rs. lakhs (per annum) for the recurring cost of Environmental Management Plan (EMP)				
		2020-21	2021-22	2022-23	2023-24	2024-25	2020 - 21	2021 -22	2022 -23	2023-24	2024-25
1.	Air pollution control	08	08	10	10	10	0.224	0.224	0.224	0.224	0.536
2.	Water pollution control	04	04	02	02	4	1.236	1.236	1.236	1.236	1.15
3.	Noise pollution Control	02	02	02	02	02	0.1	0.1	0.1	0.1	0.88
4.	Occupational Health	05	05	05	05	05	3.6	3.6	3.6	3.6	3.192
5.	Environmental Monitoring Budget (Stack)	03	04	05	05	05	33	33	36	36	0.504
6	Hazardous waste storage and disposal	05	05	05	05	50	15	15	15	10	50
7	Green Belt	03	04	04	04	04	0.1	0.1	0.1	0.1	0.1
Total		30	32	33	33	80	53.26	53.26	56.26	51.26	56.362

Your (**Half Yearly Compliance Report**) has been **Submitted** with following details

Proposal No	SEIAA-EC-0000000188
Compliance ID	119707590
Compliance Number(For Tracking)	EC/M/COMPLIANCE/119707590/2025
Reporting Year	2024
Reporting Period	01 Dec(01 Apr - 30 Sep)
Submission Date	17-02-2025
RO/SRO Name	Dr Senthil Kumar Sampath
RO/SRO Email	agmu156@ifs.nic.in
State	MAHARASHTRA
RO/SRO Office Address	Integrated Regional Offices, Nagpur

Note:- SMS and E-Mail has been sent to Dr Senthil Kumar Sampath, MAHARASHTRA with Notification to Project Proponent.

From: Safety D <safety.d@chemspec.co.in>
Sent: 17 February 2025 15:46
To: Ajmina Kapdi
Subject: Fw: Consolidated EC Compliance report submission to Regional Directorate CPCB by Chemspec Chemicals Pvt.Ltd. (period October 2023 to Sept. 2024)-Reg.
Attachments: Consolidated EC Compliance Report by Chemspec to RD-CPCB.pdf

From: Secretary . <secretary@chemspec.co.in>
Sent: Monday, February 17, 2025 3:36 PM
To: rdpune.cpcb@nic.in <rdpune.cpcb@nic.in>
Cc: Shyam Ahire <shyam.ahire@chemspec.co.in>; Safety D <safety.d@chemspec.co.in>
Subject: Consolidated EC Compliance report submission to Regional Directorate CPCB by Chemspec Chemicals Pvt.Ltd. (period October 2023 to Sept. 2024)-Reg.

To
REGIONAL DIRECTORATE, CPCB
Survey No. 110,
Dhankude Multi Purpose Hall,
Baner Road, Baner,
Pune - 411045

Subject: Expansion of the synthetic organics industrial project at Plot No. 3-C, Taloja MIDC,
Tal: Panvel, Dist Raigad. – Submission of the six monthly EC compliance report for the period October 2023 to September 2024 –Reg.

Ref: Environmental Clearance letter no. SEIAA EC 0000000188 dated March 12, 2018 issued by SEIAA, Maharashtra.

Dear Sir,

We have received the Environment Clearance from SEIAA, Maharashtra on March 12, 2018 for our Project.

We want to inform you that, there was unfortunate incident of fire took place at our factory on dated 28.12.2023, due to which our entire factory was heavily damaged.

We have received direction form MPC Board in which it is clearly mentioned that we cannot start our project without prior permission from MPCB Board & DISH.

The report of incident sent to MPCB Officials on dated 01.01.2024 & DISH on dated 29.12.2023.

The demolition and re instatement of project has been started and completed. Information given to MPC Board and DISH Officials.

In this context we are submitting herewith the consolidated EC Compliance for the period October 2023 to September 2024.

With this reference we wish to submit the details required as below:

1. Point wise compliance to stipulation as laid down by SEIAA, Government of Maharashtra along with necessary Annexures.
2. DISH Communication 1& 2.
3. MPCB Direction & Consent to Operate.
4. Form 24A.

We are also enclosing herewith the acknowledgement copy of EC compliance report submission on Parivesh portal of MoEF&CC to Regional Office-Nagpur.

We hope you will find same in line with your requirements.

Thanking You,

For Chemspec Chemicals Pvt. Ltd.,

Authorized Signatory

From: Safety D <safety.d@chemspec.co.in>
Sent: 17 February 2025 15:46
To: Ajmina Kapdi
Subject: Fw: Consolidated EC Compliance report submission to Sub Regional Officer MPCB by Chemspec Chemicals Pvt.Ltd. (period October 2023 to Sept. 2024)-Reg.
Attachments: Consolidated EC Compliance Report to SRO-MPCB by Chemspec.pdf

From: Secretary . <secretary@chemspec.co.in>
Sent: Monday, February 17, 2025 3:26 PM
To: srotaloja@mpcb.gov.in <srotaloja@mpcb.gov.in>
Cc: Shyam Ahire <shyam.ahire@chemspec.co.in>; Safety D <safety.d@chemspec.co.in>
Subject: Consolidated EC Compliance report submission to Sub Regional Officer MPCB by Chemspec Chemicals Pvt.Ltd. (period October 2023 to Sept. 2024)-Reg.

To,
Sub Regional Officer-Taloja,
Maharashtra Pollution Control Board
Raigad Bhavan, 7th floor
Sector - 11,
C.B.D Belapur,
Navi Mumbai

Subject: Expansion of the synthetic organics industrial project at Plot No. 3-C, Taloja MIDC,
Tal: Panvel, Dist Raigad. – Submission of the six monthly EC compliance report for
the period October 2023 to September 2024 –Reg.

Ref: Environmental Clearance letter no. SEIAA EC 0000000188 dated March 12, 2018 issued by SEIAA, Maharashtra.

Dear Sir,

We have received the Environment Clearance from SEIAA, Maharashtra on March 12, 2018 for our Project.

We want to inform you that, there was unfortunate incident of fire took place at our factory on dated 28.12.2023, due to which our entire factory was heavily damaged.

We have received direction form MPC Board in which it is clearly mentioned that we cannot start our project without prior permission from MPCB Board & DISH.

The report of incident sent to MPCB Officials on dated 01.01.2024 & DISH on dated 29.12.2023.

The demolition and re instatement of project has been started and completed. Information given to MPC Board and DISH Officials.

In this context we are submitting herewith the consolidated EC Compliance for the period October 2023 to September 2024.

With this reference we wish to submit the details required as below:

1. Point wise compliance to stipulation as laid down by SEIAA, Government of Maharashtra along with necessary Annexures.
2. DISH Communication 1& 2.
3. MPCB Direction & Consent to Operate.
4. Form 24A.

We are also enclosing herewith the acknowledgement copy of EC compliance report submission on Parivesh portal of MoEF&CC to Regional Office-Nagpur.

We hope you will find same in line with your requirements.

Thanking You,

For Chemspec Chemicals Pvt. Ltd.,

Authorized Signatory

0/c

Chemspec Chemicals Private Limited

(Formerly known as Chemspec Chemicals Limited)

(A Govt. Recognised Star Export House)

(An ISO 9001: 2015, 14001: 2015 & ISO 45001: 2018 Certified Company)

CIN: U24114MH1975PTC018665

Regd. Office & Factory: Plot No. 3-C, 3-B1, MIDC Taloja, Tal. Panvel, Dist. Raigad,
Navi Mumbai- 410208, Maharashtra

Tel.: 0091-22-2740 1932, 2740 1935, 2741 0570 | Fax: 0091-22-2741 0578 |

Email: ccpl@chemspec.co.in | Website: www.chemspec.co.in



To,

Date: 07/02/2025

Regional Officer-Taloja,
Maharashtra Pollution Control Board
Raigad Bhavan, 7th floor
Sector - 11,
C.B.D Belapur,
Navi Mumbai

**Subject: Expansion of the synthetic organics industrial project at Plot No. 3-C, Taloja MIDC,
Tal: Panvel, Dist Raigad. – Submission of the Six monthly EC compliance report for
the period October 2023 to September 2024 –Reg.**

Ref: Environmental Clearance letter no. SEIAA EC 0000000188 dated March 12, 2018 issued by
SEIAA, Maharashtra.

Dear Sir,

We have received the Environment Clearance from SEIAA, Maharashtra on March 12, 2018 for
our Project.

We want to inform you that, there was unfortunate incident of fire took place at our factory on
dated 28.12.2023, due to which our entire factory was heavily damaged.

We have received direction form MPC Board in which it is clearly mentioned that we cannot
start our project without prior permission from MPCB Board & DISH.

The report of incident sent to MPCB Officials on dated 01.01.2024 & DISH on dated 29.12.2023.
The demolition and re-instatement of project has been started and completed. Information
given to MPC board and DISH officials.

In this context we are submitting herewith the consolidated EC Compliance for the period
October 2023 to September 2024.

Oppl
24/02/2025
Regional Officer
Maharashtra Pollution Control Board
7th Floor, Raigad Bhavan,
Navi Mumbai - 400 614

Chemspec Chemicals Private Limited

(Formerly known as Chemspec Chemicals Limited)

(A Govt. Recognised Star Export House)

(An ISO 9001: 2015, 14001: 2015 & ISO 45001: 2018 Certified Company)

CIN: U24114MH1975PTC018665

Regd. Office & Factory: Plot No. 3-C, 3-B1, MIDC Talaja, Tal. Panvel, Dist. Raigad,
Navi Mumbai- 410208, Maharashtra

Tel.: 0091-22-2740 1932, 2740 1935, 2741 0570 | Fax: 0091-22-2741 0578 |

Email: ccpl@chemspec.co.in | Website: www.chemspec.co.in



With this reference we wish to submit the details required as below:

1. Point wise compliance to stipulation as laid down by SEIAA, Government of Maharashtra along with necessary Annexures.
2. DISH Communication 1& 2.
3. MPCB Direction & Consent to Operate.
4. Form 24A.

We are also enclosing herewith the acknowledgement copy of EC compliance report submission on Parivesh portal of MoEF&CC to Regional Office-Nagpur.

We hope you will find same in line with your requirements.

Thanking You,

For Chemspec Chemicals Pvt. Ltd.

Authorized Signatory



RECEIVED
17/01/2024
11:17 AM
REGIONAL OFFICE
NAGPUR
MOEF & CC
GATEWAY TO INDIA
REGISTRATION NO. 17/01/2024

01c

Chemspec Chemicals Private Limited

(Formerly known as Chemspec Chemicals Limited)

(A Govt. Recognised Star Export House)

(An ISO 9001: 2015, 14001: 2015 & ISO 45001: 2018 Certified Company)

CIN: U24114MH1975PTC018665

Regd. Office & Factory: Plot No. 3-C, 3-B1, MIDC Taloja, Tal. Panvel, Dist. Raigad,
Navi Mumbai- 410208, Maharashtra

Tel: 0091-22-2740 1932, 2740 1935, 2741 0570 | Fax: 0091-22-2741 0578 |

Email: ccpl@chemspec.co.in | Website: www.chemspec.co.in



To,

Date: 07/02/2025

Sub Regional Officer-Taloja,
Maharashtra Pollution Control Board
Raigad Bhavan, 7th floor
Sector - 11,
C.B.D Belapur,
Navi Mumbai

**Subject: Expansion of the synthetic organics industrial project at Plot No. 3-C, Taloja MIDC,
Tal: Panvel, Dist Raigad. – Submission of the Six monthly EC compliance report for
the period October 2023 to September 2024 –Reg.**

Ref: Environmental Clearance letter no. SEIAA EC 0000000188 dated March 12, 2018 issued by
SEIAA, Maharashtra.

Dear Sir,

We have received the Environment Clearance from SEIAA, Maharashtra on March 12, 2018 for
our Project.

We want to inform you that, there was unfortunate incident of fire took place at our factory on
dated 28.12.2023, due to which our entire factory was heavily damaged.

We have received direction form MPC Board in which it is clearly mentioned that we cannot
start our project without prior permission from MPCB Board & DISH.

The report of incident sent to MPCB Officials on dated 01.01.2024 & DISH on dated 29.12.2023.
The demolition and re-instatement of project has been started and completed. Information
given to MPC board and DISH officials.

In this context we are submitting herewith the consolidated EC Compliance for the period
October 2023 to September 2024.

(Signature)
24/02/2025
Regional Office
Maharashtra Pollution Control Board
7th Floor, Raigad Bhavan,
Navi Mumbai - 400 614

Chemspec Chemicals Private Limited

(Formerly known as Chemspec Chemicals Limited)

(A Govt. Recognised Star Export House)


(An ISO 9001: 2015, 14001: 2015 & ISO 45001: 2018 Certified Company)

CIN: U24114MH1975PTC018665

Regd. Office & Factory: Plot No. 3-C, 3-B1, MIDC Taloja, Tal. Panvel, Dist. Raigad,
Navi Mumbai- 410208, Maharashtra

Tel.: 0091-22-2740 1932, 2740 1935, 2741 0570 | Fax: 0091-22-2741 0578 |

Email: ccpl@chemspec.co.in | Website: www.chemspec.co.in



With this reference we wish to submit the details required as below:

1. Point wise compliance to stipulation as laid down by SEIAA, Government of Maharashtra along with necessary Annexures.
2. DISH Communication 1& 2.
3. MPCB Direction & Consent to Operate.
4. Form 24A.

We are also enclosing herewith the acknowledgement copy of EC compliance report submission on Parivesh portal of MoEF&CC to Regional Office-Nagpur.

We hope you will find same in line with your requirements.

Thanking You,

For Chemspec Chemicals Pvt. Ltd.,

Authorized Signatory



RECEIVED
NAGPUR REGIONAL OFFICE
MOEF & CC
21/01/2024

Print

Close



**PUBLIC LIABILITY INSURANCE POLICY (UNDER
PUBLIC LIABILITY ACT 1991)**
[UIN:IRDAN123CP0072V01201819]

THIS IS CLAIMS MADE BASIS POLICY - READ IT CAREFULLY

CHOLAMANDALAM MS GENERAL INSURANCE COMPANY LTD. ADDRESS: Nariman Point Branch 111/c, 11th floor,Mittal Towers, C wing, Nariman Point,, NARIMAN POINT S.O CITY: MUMBAI STATE: MAHARASHTRA GSTIN: 27AABCC6633K1ZJ	GST Invoice No.: 3120531702446 DATE: 21/08/2024 PAN: AABCC6633K SAC Code: 997139 SAC Description: Other non-life insurance services (excluding reinsurance services)
Policy Issuing Office : Nariman Point Branch	Broker / Agent : 201696008318
Policy Number : 3120/00000421/000/02	Customer Code : 101620178046

Name of Insured	CHEMSPEC CHEMICALS LIMITED
Address of Insured	Plot No 3 C,Midc Taloja, Tal Panvel,Dist Raigad Taloja India Maharashtra Raigarh Taloja A.V. S.O, Raigad(Mh) Maharashtra PIN-410208 GST No.: 27AAACC3620K1ZV
Policy Period	From 22/04/2024 00:00 Hours to Midnight Hours 23:59 on 21/04/2025
Premium Receipt	1068477135, Date : 18/04/2024
Business/ Profession	Manufacturing & selling speciality chemical & bulk drug
Policy Basis	CLAIMS MADE BASIS
Limit of Indemnity	AOY INR 15,00,00,000.00 AOA INR 5,00,00,000.00
Risk Location	1. Plot No.3c & 3b-1,Midc , Taloja 410206-410208 M I D C Taloja ,Maharashtra, 410208. 2. Amco Converters Plot No. H-28 , Midc, Taloja,Tal.- Panvel,Dist.-Raigad -410208 3. Aces International, Plot No 17/37 Taloja Midc -410208
Turnover	INR 11,00,00,00,000.00
Specific Terms and Conditions	2.
Specific Exclusions	1. Specific matter pandemic /communicable disease related claims absolutely
Deductible	NIL
Jurisdiction	India
Territory	India
Retroactive Date	22-04-2022
Premium(Rs.)	INR 3,750.00
CGST (9%)	INR 337.50
SGST (9%)	INR 337.50
Kerala Cess (1%)(in Rs.)	INR 0.00
IGST (0%)	INR 0.00
Environment Relief Fund	INR 3,750.00
Amount Payable	INR 8,175.00


IN WITNESS WHEREOF,the Insurer has caused this Policy to be executed and attested

We hereby declare that though our aggregate turnover in any preceding financial year from 2017-18 onwards is more than the aggregate turnover notified under sub-rule (4) of rule 48, we are not required to prepare an invoice in terms of the provisions of the said sub-rule and also as per Notification No. 13/2020-CT dated 21-03-2020. This policy schedule shall be in lieu of Tax Invoice and hence no separate GST invoice required In compliance with Rule 54(2) of CGST Rules, 2017.

Consolidated Stamp Duty Paid Vide G.O. Rt No.397,Commercial Taxes and Registration (j1) Department, Tamil Nadu dated 24/05/2024.

Intermediary Name: PRUDENT INSURANCE BROKERS PVT LTD		POSP Name:
Code: 201696008318	Contact No: 2224314851	

Note: The Certificate of Insurance / Policy Schedule is an important document issued based on your declaration. We request you to verify the details and ensure that everything is in order. In case of any discrepancies, please contact us within 15 days from the date of issuance of policy.

Place : Chennai	For Cholamandalam MS General Insurance Company Ltd. @CholaSign1 
Date : 21-08-2024	Authorised Signatory

Regd.&Head Office:Dare House, 2nd Floor, No.2, N.S.C Bose Road, Chennai-600 001, India
CIN: U66030TN2001PLC047977 | IRDAI Reg. No. 123

Attaching to an forming part of Policy No.3120/00000421/000/02

All other terms, conditions and exclusions of the within mentioned policy stand unaltered.

Whether tax is payable under reverse charge basis - No..

10.111.5.52

1. Mechanism for Grievance Redressal:

As an esteemed customer of our Company, You can contact us to register complaint/ grievance, if any, including servicing of Policy, claims etc. with regard to the insurance Policy issued to You. The contact details of our office are given below for Your reference.

If any Grievances / issues on claims pertaining to Senior Citizens, Insured can register the complaint / grievance which shall be processed on Fast Track Basis by dedicated personnel.

9.1 Contact Information

SMS: "CHOLA" TO 56677 *(Premium SMS charges apply)

Email– customercare@cholams.murugappa.com

Web site: www.cholainsurance.com

9.2 For Complaints

If You have not received any reply from us within 3 days from the date of the lodgement of complaint or if You are not satisfied with the reply of the Company, you can contact the IRDA Grievance Call Centre at the toll free no. 155255 or email at complaints@irda.gov.in for registering the grievance or the nearest Insurance Ombudsman, whose addresses are mentioned below:

Nearest Insurance Ombudsman Offices

Sl. No.	Office of the Ombudsman	Name of the Ombudsman and Contact Details	JURISDICTION
1	AHMEDABAD	Office of the Insurance Ombudsman, 2nd floor, Ambica House, Near C.U. Shah College, 5, Navyug Colony, Ashram Road, Ahmedabad – 380 014 Tel.:– 079–27546150/139, Fax:– 079–27546142 Email:– bimalokpal.ahmedabad@gbic.co.in	State of Gujarat and Union Territories of Dadra & Nagar Haveli and Daman and Diu.
2	BENGALURU	Office of the Insurance Ombudsman, Jeevan Soudha Building, PID No.57–27–N–19, Ground Floor, 19/19, 24th Main Road, JP Nagar, 1st Phase, Bengaluru–560 078. Tel.:– 080–26652048 / 26652049 Email:– bimalokpal.bengaluru@gbic.co.in	Karnataka.

3	BHOPAL	Office of the Insurance Ombudsman, Janak Vihar Complex, 2nd Floor, 6, Malviya Nagar, Opp.Airtel Office, Near New Market, Bhopal – 462 033. Tel.:– 0755–2769200/201/202, Fax:– 0755–2769203 Email:– bimalokpalbhopal@gbic.co.in	States of Madhya Pradesh and Chattisgarh.
4	BHUBANESHWAR	Office of the Insurance Ombudsman, 62, Forest park, Bhubneshwar – 751 009.Tel.:– 0674–2596461 / 2596455, Fax:– 0674–2596429 –Email:– bimalokpal.bhubaneswar@gbic.co.in	State of Orissa.
5	CHANDIGARH	Office of the Insurance Ombudsman, S.C.O. No. 101, 102 & 103, 2nd Floor, Batra Building, Sector 17 – D, Chandigarh – 160 017.Tel.:– 0172– 2706196/5861 / 2706468, Fax:– 0172– 2708274, Email:– bimalokpal.chandigarh@gbic.co.in	States of Punjab, Haryana, Himachal Pradesh, Jammu & Kashmir and Union territory of Chandigarh.
6	CHENNAI	Office of the Insurance Ombudsman, Fatima Akhtar Court, 4th Floor, 453 (old 312), Anna Salai, Teynampet, CHENNAI – 600 018. Tel.:– 044-24333668 / 24335284, Fax:– 044–24333664, Email:– bimalokpal.chennai@gbic.co.in	State of Tamil Nadu and Union Territories – Pondicherry Town and Karaikal (which are part of Union Territory of Pondicherry).
7	DELHI	Office of the Insurance Ombudsman, 2/2 A, Universal Insurance Building, Asaf Ali Road, New Delhi – 110 002.Tel.:– 011– 23239611/7539/7532, Fax:– 011- 23230858, Email:– bimalokpal.delhi@gbic.co.in	State of Delhi
8	ERNAKULAM	Office of the Insurance Ombudsman, 2nd floor, Pulinat Building, Opp. Cochin Shipyards, M.G. Road, Ernakulam – 682 015.Tel.:– 0484–2358759/2359338, Fax:– 0484–2359336, Email:– bimalokpal.ernakulam@gbic.co.in	Kerala, Lakshadweep, Mahe—a part of Pondicherry
9	GUWAHATI	Office of the Insurance Ombudsman, 'Jeevan Niveshi' ½, 5th Floor, Nr. Panbazar over bridge, S.S. Road, Guwahati – 781001(ASSAM). Tel.:– 0361– 2132204 / 2132205, Fax:– 0361–2732937, Email:– bimalokpal.guwahati@gbic.co.in	States of Assam, Meghalaya, Manipur, Mizoram, Arunachal Pradesh, Nagaland and Tripura.
10	HYDERABAD	Office of the Insurance Ombudsman, 6– 2–46, 1st floor, "Moin Court", Lane Opp. Saleem Function Palace, A. C. Guards, Lakdi-Ka-Pool, Hyderabad – 500 004. Tel.:– 040–65504123/23312122, Fax:– 040–23376599, Email:– bimalokpal.hyderabad@gbic.co.in	States of Andhra Pradesh, Telangana and Union Territory of Yanam - a part of the Union Territory of Pondicherry.
11	JAIPUR	Office of the Insurance Ombudsman, Jeevan Nidhi-II Bldg., Ground Floor, Bhawani Singh Marg, Jaipur – 302005. Tel.:– 0141–2740363, Email:– bimalokpal.jaipur@gbic.co.in	State of Rajasthan.
12	KOLKATA	Office of the Insurance Ombudsman,Hindustan Building Annexe, 4th floor, 4, CR Avenue, Kolkata – 700 072. Tel.:– 033–22124339 / 22124340, Fax:– 033–22124341,	States of West Bengal, Bihar, Sikkim and Union Territories of Andaman and Nicobar Islands.

		Email:- bimalokpal.kolkata@gbic.co.in	
13	LUCKNOW	Office of the Insurance Ombudsman, 6th Floor, Jeevan Bhawan, Phase-II, Nawal Kishore Road, Hazratganj, Lucknow-226 001. Tel.:- 0522-2231330 / 2231331, Fax:- 0522-2231310. Email:- bimalokpal.lucknow@gbic.co.in	District of Uttar Pradesh: Lalitpur, Jhansi, Mahoba, Hamirpur, Banda, Chitrakoot, Allahabad, Mirzapur, Sonbhadra, Fatehpur, Pratapgarh, Jaunpur, Varansi, Gazipur, Jalaun, Kanpur, Lucknow, Unnao, Sitapur, Lakhimpur, Bahraich, Barabanki, Raebareli, Sravasti, Gonda, Faizabad, Amethi, Kaushambi, Balrampur, Basti, Ambedkarnagar, Sulampur, Maharajganj, Santkabirnagar, Azamgarh, Kaushinagar, Gorkhpur, Deoria, Mau, Chandauli, Ballia, Sidharathnagar.
14	MUMBAI	Office of the Insurance Ombudsman, 3rd Floor, Jeevan Seva Annexe, S. V. Road, Santacruz (W), Mumbai – 400 054. Tel.:- 022-26106928/360/889, Fax:- 022-26106052, Email:- bimalokpal.mumbai@gbic.co.in	States of Goa, Mumbai Metropolitan Region excluding Navi Mumbai & Thane.
15	NOIDA	Office of the Insurance Ombudsman, Bhagwan Sahai Palace, 4th Floor, Main Road, Naya Bans, Sector-15, Gautam Budh Nagar, Noida Email:- bimalokpal.noida@gbic.co.in	States of Uttaranchal and the following Districts of Uttar Pradesh: Agra, Aligarh, Bagpat, Bareilly, Bijnor, Budaun, Bulandshahar, Etah, Kanooj, Mainpuri, Mathura, Meerut, Moradabad, Muzaffarnagar, Oraiyya, Pilibhit, Etawah, Farrukhabad, Firozabad, Gautam Budh Nagar, Ghaziabad, Hardoi, Shahjahanpur, Hapur, Shamli, Rampur, Kashganj, Sambhal, Amroha, Hathras, Kanshiramnagar, Saharanpur.
16	PATNA	Office of the Insurance Ombudsman, 1st Floor, Kalpana Arcade Building, Bazar Samiti Road, Bahadurpur, Patna – 800 006. Email:- bimalokpal.patna@gbic.co.in	States of Bihar and Jharkhand.
17	PUNE	Office of the Insurance Ombudsman, Jeevan Darshan Building, 3rd Floor, CTS Nos. 195 to 198, NC Kelkar Road, Narayan Peth, Pune – 411 030 Tel: 020 – 32341320, Email:- bimalokpal.pune@gbic.co.in	States of Maharashtra, Area of Navi Mumbai and Thane excluding Mumbai Metropolitan Region. Bottom of Form

Cholamandalam MS General Insurance company Limited

HO: Dare House 2nd Floor, No. 2 NSC Bose Road, Chennai – 600 001.

Toll Free : 1800 208 5544

Attaching to and forming part of Policy No. 3120/00000421/000/02

CANCELLATION ENDORSEMENT

Notwithstanding anything to the contrary mentioned in the policy or in any of the endorsements, it is hereby agreed and declared that

a. **We** may cancel this Policy by giving 30 days written notice of such cancellation to the last known address of the first named Insured and in such event **we** will return a pro-rata portion(subject to retaining the minimum premium, if any, prescribed under the policy) for the unexpired Policy Period.

b. This Policy may also be cancelled by **you** by giving 30 days written notice to **us** in which event **we** will retain premium at the short period scale stated below subject to retaining INR 2,500/- or the minimum premium, if any, prescribed under the policy, whichever is higher, provided that there has been no Claim under the Policy during the Policy Period in which case no refund of premium shall be allowed.

Short Period Scale

Period (Not exceeding)	Rate
1 week	10% of the Annual rate
1 Month	25% of the Annual rate
2 Months	35% of the Annual rate
3 Months	50% of the Annual rate
4 Months	60% of the Annual rate
6 Months	75% of the Annual rate
8 Months	85% of the Annual rate
Exceeding 8 Months	Full Annual Premium

The payment or tender of any unearned premium by us shall not be a condition precedent to the effectiveness of cancellation but such payment shall be made as soon as practicable.

All other terms and conditions remain unchanged

Cholamandalam MS General Insurance Company Limited

**PUBLIC LIABILITY INSURANCE POLICY
(UNDER PUBLIC LIABILITY INSURANCE ACT 1991)**

1. OPERATIVE CLAUSE

Whereas the Insured Owner named in the schedule hereto and carrying on business described in the said schedule has applied to the Cholamandalam General Insurance Company Limited (hereinafter called the Company) for the indemnity hereinafter contained and has made a written proposal and declaration which shall be the basis of this contract and is deemed to be incorporated herein and has paid the premium and statutory contribution towards the Environment Relief Fund as per the provisions of the Public Liability Insurance Act and the rules framed there under.

NOW THIS POLICY WITNESSETH that subject to the terms, exceptions and conditions contained herein or endorsed hereon, the company will indemnify the insured owner against the statutory liability arising out of accidents occurring during the currency of the policy due to handling hazardous substances as provided for in the said Act and the Rules framed thereunder.

2. DEFINITIONS:

a) **"ACT"** unless otherwise specifically mentioned shall mean the Public Liability Insurance Act 1991 as amended from time to time.

b) **"Accident"** means an accident involving a fortuitous, sudden or unintentional occurrence while handling any hazardous substance resulting in continuous, intermittent or repeated exposure to death of, or injury to any person or damage to any property but does not include an accident by reason only of war or radioactivity.

c) **"Handling"** in relation to any hazardous substance means the manufacture, processing, treatment, package, storage, transportation by vehicle, use, collection, destruction, conversion, offering for sale, transfer or the like of such hazardous substance;

d) **"Hazardous Substance"** means any substance or preparation which is defined as hazardous substance under the Environment (Protection) Act, 1986, and exceeding such quantity as may be specified, by notification, by the Central Government;

e) **"Owner"** means a person who owns, or has control over handling any hazardous substance at the time of accident and includes:

in the case of a firm any of its partners;

in the case of an association, any of its members, and

in the case of a company, any of its directors, managers, secretaries or other officers who is directly in charge of, and is responsible to the company for the conduct of the business of the company;

f) **"Turnover"** shall mean

- Manufacturing units-Annual Gross Sales of all goods including all levies and taxes
- Godowns/ warehouse owners-Total Annual rental receipts.
- Transport Operators-Total Annual freight receipts.
- Others-Total Annual gross receipts.

3. EXCLUSIONS:

This Policy does not cover liability:

- (1) arising out of wilful or intentional non-compliance of any Statutory provisions.
- (2) in respect of fines, penalties, punitive and/or exemplary damages.
- (3) arising under any other legislation except in so far as provided for in Section 8 Sub Section (1) and (2) of the Act.
- (4) in respect of damage to property owned, leased or hired or under hire purchase or on loan to the Insured or otherwise in the Insured Owner's control, care or custody.
- (5) directly or indirectly occasioned by, happening through or in consequence of war, invasion, act of foreign enemy, hostilities (whether war be declared or not), civil war, rebellion, revolution, insurrection or military or usurped power;
- (6) directly or indirectly caused by or contributed to by.
 - a) ionizing radiation or contamination by radioactivity from any nuclear fuel or from any nuclear waste from the combustion of nuclear fuel
 - b) the radioactive, toxic, explosive or other hazardous properties of any explosive nuclear assembly or nuclear component thereof.

4. CONDITIONS:

- (1) The Insured owner shall give written notice to the Company as soon as reasonably practicable of any claim made against the Insured Owner or of any specific event or circumstance that may give rise to a claim. The Insured Owner shall immediately give to the Company copies of notice of applications forwarded by the Collector and all such additional information and or assistance that the company may require.
- (2) No admission, offer, promise or payments shall be made or given by or on behalf of the Insured owner under this policy without the written consent of the Company.
- (3) The Company shall not be liable for any claim for relief made after five years from the date of occurrence of the accident.
- (4) The Insured Owner shall keep record of annual turnover, and at the time of renewal of insurance declare such turnover and all other details as may be required by the Company. The Company shall at all reasonable times have full rights to call for and examine such records.
- (5) If at the time of happening of any accident resulting in a claim under this policy there be any other insurance covering the same liability, then the Company shall not be liable to pay or contribute more than its ratable proportion of such liability.
- (6) This policy may be cancelled by the Insured Owner by giving 30 days notice in writing to the company in which event the Company will retain premium at short period scale subject to there not having occurred an accident during the policy period which may give rise to a claims(s), failing which no refund of premium shall be allowable.

(7) This Policy may also be cancelled by the Insurer by giving 30 days notice in writing to the Insured Owner in which event the Company shall be liable to repay on demand a rateable proportion of the premium for the unexpired term from the date of cancellation.

(8) If the Company shall disclaim liability to the Insured Owner for any claim hereunder and such claim shall not within 12 calendar months from the date of such disclaimer have been made the subject matter of a suit in a competent court of law, then the claim for the practical purposes shall be deemed to have been abandoned and shall not thereafter be recoverable hereunder or be made the subject matter of any suit.

(9) The Company shall not be liable to make any payment in respect of any claim if such claim shall be in any manner fraudulent or supported, by any person on behalf of the Insured Owner and/or if the insurance has been continued in consequence of any material misstatement or non disclosure of any material information by or on behalf of the Insured Owner. In such a case if the Company pays any amount to the claimant due to any statutory provision such amount shall be recoverable from the Insured Owner.

(10) The Policy and the Schedule shall be read together as one contract and any word or expression to which a specific meaning has been assigned in the Act and the Rules framed thereunder or this Policy shall bear such specific meaning.

(11) Any dispute regarding interpretation of the terms, conditions and exceptions of this Policy shall be determined in accordance with the law and practice of a court of competent jurisdiction within India.

Chemspec Chemicals Private Limited

(Formerly known as Chemspec Chemicals Limited)

(A Govt. Recognised Star Export House)

(An ISO 9001: 2015, 14001: 2015 & ISO 45001: 2018 Certified Company)

CIN: U24114MH1975PTC018665

Regd. Office & Factory: Plot No. 3-C, 3-B1, MIDC Talaja, Tal. Panvel, Dist. Raigad,

Navi Mumbai- 410208, Maharashtra

Tel.: 0091-22-2740 1932, 2740 1935, 2741 0570 | Fax: 0091-22-2741 0578 |

Email: ccpl@chemspec.co.in | Website: www.chemspec.co.in



Date: 19/06/2024

To,
Deputy Director,
Directorate of Industrial Safety and Health
Konkan Bhavan, 5th floor, C.B.D. Belapur,
Navi Mumbai - 400 614

Subject - Intimation about starting manufacturing activity.

Dear Sir,

There was a fire incident on 28th December 2023 at 19.45 hrs. in our factory
Chemspec Chemicals Pvt Ltd at Plot - 3C & 3B-1, MIDC, Talaja.

We are following all the measures as per your letter No. JLDISH- 27A/2024 dated
03.01.2024.

Now, we are going to start our commissioning activity from 1st July 2024. This is for
your kind information.

Thank you

(FOR CHEMSPEC CHEMICALS PVT LTD)

Authorized Signatory



19/6/2024
कार्यालय - सह संचालक, औद्योगिक सुरक्षा व
आरोग्य संचालन/तप, तपसुड
कोकण भवन (विस्तारित कक्ष)
छोला छ. ५२२, ५ वा मजला,
सांबाडी बेलापूर, नवी मुंबई - ४००६१४

Chemspec Chemicals Private Limited

(Formerly known as Chemspec Chemicals Limited)

(A Govt. Recognised Star Export House)

(An ISO 9001: 2015, 14001: 2015 & ISO 45001: 2018 Certified Company)

CIN: U24114MH1975PTC018665

Regd. Office & Factory: Plot No. 3-C, 3-B1, MIDC Talaja, Tal. Panvel, Dist. Raigad,
Navi Mumbai- 410208, Maharashtra

Tel.: 0091-22-2740 1932, 2740 1935, 2741 0570 | Fax: 0091-22-2741 0578 |

Email: ccpl@chemspec.co.in | Website: www.chemspec.co.in



Date: 19/06/2024

To,
Regional officer,
Maharashtra Pollution Control Board,
Regional office,
Raigad Bhavan, 7th floor, Sector - 11,
C.B.D. Belapur, Navi Mumbai - 400 614

Subject - Intimation about starting of manufacturing activity at Plot - 3C & 3B-1, Talaja
Reference: - No. MPCB/RONM/2401120001 dated. 12/01/2024.

Dear Sir,

There was a fire incident on 28th December 2023 at 19.45 hrs. in our Chemspec Chemicals Pvt Ltd. We are assuring herewith that whatever burnt/ unburnt chemicals, solid/ liquid waste generated due to fire incident have disposed scientifically at CHWT/SDF by adopting on line manifest system.

Now, we are going to start our commissioning activity at Plot - 3C & 3B-1, Talaja from 01/07/2024.

This is for your kind information.

Thank you

(FOR CHEMSPEC CHEMICALS PVT LTD)

Authorized Signatory



Copy to:

Sub- Regional officer, MPCB, Talaja

प्रदेशीय कार्यालय, रायगड, नवी मुंबई
म.प्र.पि. मंडळ, रस्ता नं. १, वा. माळी,
पी.बी.डी. बेलपुर, नवी मुंबई - ४००६१४

Chemspec Chemicals Private Limited

(Formerly known as Chemspec Chemicals Limited)

(A Govt. Recognised Star Export House)

(An ISO 9001: 2015, 14001: 2015 & ISO 45001: 2018 Certified Company)

CIN: U24114MH1975PTC018665

Regd. Office & Factory: Plot No. 3-C, 3-B1, MIDC Talaja, Tal. Panvel, Dist. Raigad,

Navi Mumbai- 410208, Maharashtra

Tel.: 0091-22-2740 1932, 2740 1935, 2741 6570 Fax: 0091-22-2741 0878

Email: cepl@chemspec.co.in | Website: www.chemspec.co.in



Date: 19/01/24

To,
Regional officer,
Maharashtra Pollution Control Board,
Regional office,
Raigad Bhavan, 7th floor, Sector - 11,
C.B.D. Belapur, Navi Mumbai - 400 014

Subject - Intimation about starting of manufacturing activity at Plot - 3C & 3B-1, Talaja
Reference: - No. MPCB/RONM/2401/20001 dated 12/01/2024.

Dear Sir,

There was a fire incident on 28th December 2023 at 19:15 hrs. in our Chemspec Chemicals Pvt Ltd. We are assuring herewith that our vet. firm (adherent chemical) has disposed liquid waste generated due to fire incident have disposed scientifically with H.W.TSDI by adopting on line manifest system.

Now, we are going to start our manufacturing activity at Plot - 3C & 3B-1, Talaja from 01/07/2024.

This is for your kind information.

Thank you

(FOR CHEMSPEC CHEMICALS PVT LTD)


Authorized Signatory



Copy to:

Sub-Regional officer, MPCB, Talaja



देशिक कार्यालय, रायगड, नवी मुंबई

त.नि. बळवंत, रमेशचंद्र शर्मा, ६ वा मजला,

सी. बेलपुर, नवी मुंबई - ४०००१४